



Researching adolescent abortion care-seeking in sub-Saharan Africa

LSE Research Online URL for this paper: <http://eprints.lse.ac.uk/102445/>

Version: Published Version

Conference or Workshop Item:

Coast, Ernestina ORCID: 0000-0002-8703-307X (2019) Researching adolescent abortion care-seeking in sub-Saharan Africa. In: Options Consulting, 2019-07-09.

Reuse

Items deposited in LSE Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the LSE Research Online record for the item.

Researching adolescent abortion care-seeking in sub-Saharan Africa

Ernestina Coast

e.coast@lse.ac.uk

<http://personal.lse.ac.uk/coast/>

Options Consulting, 9th July 2019

The logo for The London School of Economics and Political Science (LSE), consisting of the letters 'LSE' in white on a red square background.

THE LONDON SCHOOL
OF ECONOMICS AND
POLITICAL SCIENCE ■

5 projects

- Conceptual framework: trajectories of abortion-related care
- Trajectories of abortion [Zambia] [ESRC/DFID]
- Conscientious objection to abortion [Zambia]
- Improving adolescent access to contraception and abortion-related care in sub-Saharan Africa: health system pathways [Ethiopia, Malawi, Zambia] [on-going] [MRC/DFID] [Ipas]
- Economics of abortion [systematic review]


Adolescents are...

- **more** likely to have an **unsafe abortion** and to experience complications (including death) of unsafe abortion compared to older women
- **less** likely to be able to access **safe abortion** services compared to older women because:
 - lower levels of knowledge about sexual health / pregnancy confirmation
 - lower access to financial resources
 - lower levels of service knowledge
 - higher likelihood of delaying care-seeking
 - lower ability to navigate health systems
 - higher levels of stigma

Barriers to accessing services are especially high for adolescents unused to navigating a health system on their own.

CONCEPTUAL FRAMEWORK

**[COAST (LSE), NORRIS (OHIO STATE), MOORE (GUTTMACHER),
FREEMAN (LSE)]**



How we produced it

Consultation with expert abortion researchers to shape initial framework

Presentation of the conceptual framework for further testing, scrutiny, review and revision

Literature systematically searched to identify examples to **test** the framework's applicability and increase its specificity

- The boundaries between the components and levels are not as clear as presented by the framework
- However, it offers a **departure point** for new research by drawing attention to primary components and linkages in describing and explaining girl's and women's trajectories to abortion decision-making and behaviour
- Encourages a more holistic ways of understanding the trajectories of girls and women seeking abortion-related care
- The framework should be **continually tested** against new evidence and adapted to meet previously undocumented and/or unexpected abortion-seeking experiences


TRAJECTORIES OF ABORTION [ZAMBIA] [ESRC/DFID]

<https://zambiatop.wordpress.com/>








Government hospital




“I called a friend, I explained my situation ... she gave me a [hospital] doctor's number, who I called.”









“after two weeks when I started wondering if I was rotting ... That started worrying me a lot ... [I] went to [local clinic]. I explained to them something else because I was scared to tell them that I did something...”




“I was given something to insert....I was given medicine, a stick”



Percentage of women by abortion trajectory, type and age



Percentage of women by abortion trajectory type + wealth tercile



CONSCIENTIOUS OBJECTION TO ABORTION [ZAMBIA]

Conscientious objection in our study

- Following previous research:
 - Defined as any healthcare worker who feels that “her or his moral, ethical, or religious beliefs precluded her or him from being willing to perform or assist abortions in some or all situations” (Fink et al. 2015)
- Reflecting participants’ understandings:
 - Definition extended to healthcare workers who feel that their own or their community’s objection to abortion preclude them from being willing to refer for abortion in some or all situations

Importance of others' perceptions

- In rural facilities perceptions of communities' attitudes prevented providers referring for or performing abortion.

e.g.

A midwife at a rural health care centre, not currently providing abortion services but thought that safe services should be available. She was preoccupied with the case of a pregnant 12 year old girl, brought to the health centre by her father and the police after she was defiled by an older neighbour.

Because the local police, the girl's family and her colleagues did not know abortion was possible, she probably would not raise the option with them.

IMPROVING ADOLESCENT ACCESS TO CONTRACEPTION AND ABORTION- RELATED CARE IN SUB-SAHARAN AFRICA: HEALTH SYSTEM PATHWAYS

[Ethiopia, Malawi, Zambia] [on-going] [MRC/DFID] [Ipas]

<https://abortioninafrica.wordpress.com/>

Research funded by



THE LONDON SCHOOL
OF ECONOMICS AND
POLITICAL SCIENCE ■




Objectives

1. To understand why contraceptive and abortion-related care services are not used more fully by adolescents.
2. To understand the opportunities and barriers to scaling up the most effective implementation strategies for meeting adolescents' needs for contraception and abortion-related services.



Research questions



- 1: How, and to what extent, does context (legal and service provision) affect the implementation of contraception and abortion-related care services for adolescents?
- 2: Which implementation strategies are most acceptable and effective at facilitating adolescent access to contraception and abortion-related care services?
- 3: What are the projected effects, and feasibility, of scaling up adolescent access to contraception and abortion-related care services?

Why this study design?

- ✓ Compare across countries
 - Ethiopia vs Malawi vs Zambia
- ✓ Compare within countries
 - Tertiary vs youth friendly care

Why these 3 countries?

	Ethiopia	Zambia	Malawi
Legal status	Rape, incest, physical or mental disabilities, to preserve a woman's life or health, or if a woman is physically or mentally unprepared for childbirth	Rape, incest, defilement, risk of injury to physical/mental health of women or any of her existing children; foetal abnormalities. Account may be taken of the pregnant woman's actual or reasonably foreseeable environment or her age	Legal only to save the life of the woman.
Service availability	Widely available in the public, private and NGO sectors.	Certification requires 3 doctors' signatures. Some availability in 110 public sector facilities; limited availability in the private/ NGO sector	Limited availability in NGO franchises.

MOST



LEAST

Facility-based interviews with adolescents [10-19y]

Why?

To establish which aspects of implementation act as a barrier or facilitator to adolescents' use of contraception and SA/ PAC services.

How?

Facility-based recruitment of adolescents seeking either SA or PAC following an abortion initiated elsewhere.

Sample (\approx 110/country)

In each country, recruited adolescents seeking care at two public sector facilities (tertiary hospital vs. ASRHS).

We focus on the public sector because it is where most vulnerable or marginalised adolescents seek care.

Adolescent interview focus

Using established two-interviewer approach:

- one RA will conduct the interview in a conversational style to put the participant at ease and facilitate the narrative flow, whilst a second RA will complete the research instrument.
- towards the end of the interview the second RA will ask supplementary questions not covered by the first RA to ensure completeness.

The research instrument generates evidence on:

- detailed care seeking pathways (and their influences and influencers)
- barriers to care-seeking (eg: knowledge, confidentiality, cost, transport, unofficial provider payments, perceived quality of care)
- sociodemographic status
- contraceptive (non-)use;
- direct service costs (for example, fees per procedure or intervention);
- indirect costs (e.g.: travel, food, lost productivity)
- resources used to pay costs (e.g.: credit, asset sale, borrowing, loss of wages)
- knowledge of the law, including understanding of adolescent rights to services
- barriers and facilitators to care-seeking

VERY TENTATIVE INSIGHTS
[RECRUITMENT + ANALYSES ONGOING]

	Ethiopia	Zambia	Malawi
Type of care	SA	SA+PAC	PAC
MA self-use	Low	High	Medium
Why abortion?	Education Fear Employment Prevent marriage		
Cont'n before abortion	Partner resistance Male condoms intermittent [pleasure] Non-use due to fertility concerns Stopped using – side effects “Emergency contraception”		
Sexual violence	High	Low	Low

	Ethiopia	Zambia	Malawi
Type of care	SA	SA+PAC	PAC
MA self-use	Low	High	Medium
Why abortion?	Education Fear Employment Prevent marriage		
Cont'n before abortion	Partner resistance Male condoms intermittent [pleasure] Non-use due to fertility concerns Stopped using – side effects “Emergency contraception”		
Sexual violence	High	Low	Low


	Ethiopia	Zambia	Malawi
Type of care	SA	SA+PAC	PAC
MA self-use	Low	High	Medium
Why abortion?	Education Fear Employment Prevent marriage		
Cont'n before abortion	Partner resistance Male condoms intermittent [pleasure] Non-use due to fertility concerns Stopped using – side effects “Emergency contraception”		
Sexual violence	High	Low	Low

	Ethiopia	Zambia	Malawi
Type of care	SA	SA+PAC	PAC
MA self-use	Low	High	Medium
Why abortion?	Education Fear Employment Prevent marriage		
Cont'n before abortion	Partner resistance Male condoms intermittent [pleasure] Non-use due to fertility concerns Stopped using – side effects “Emergency contraception”		
Sexual violence	High	Low	Low

	Ethiopia	Zambia	Malawi
Type of care	SA	SA+PAC	PAC
MA self-use	Low	High	Medium
Why abortion?	Education Fear Employment Prevent marriage		
Cont'n before abortion	Partner resistance Male condoms intermittent [pleasure] Non-use due to fertility concerns Stopped using – side effects “Emergency contraception”		
Sexual violence	High	Low	Low

	Ethiopia	Zambia	Malawi
Type of care	SA	SA+PAC	PAC
MA self-use	Low	High	Medium
Why abortion?	Education Fear Employment Prevent marriage		
Cont'n before abortion	Partner resistance Male condoms intermittent [pleasure] Non-use due to fertility concerns Stopped using – side effects “Emergency contraception”		
Sexual violence	High	Low	Low

Pregnancy awareness



“Youth friendly”

ZAMBIA



ETHIOPIA



Information



A COMMODITY CHAIN OF SILENCES


```
graph LR; A[sex] --> B[contraceptive non-/use]; B --> C[pregnancy]; C --> D[decision to abort]; D --> E["abortion (safe/unsafe/legal/illegal)"]
```

sex

contracep
tive
non-/use

pregnancy

decision
to abort

abortion
(safe/
unsafe/
legal/
illegal)

Age asymmetry
Non-/consensual
Coercion
Relationship type (eg: marital / casual)
Sex education


sex

contracep
tive
non-/use

pregnancy

decision
to abort

abortion
(safe/
unsafe/
legal/
illegal)



sex

contracep
tive
non-/use

pregnancy


decision
to abort

abortion
(safe/
unsafe/
legal/
illegal)

Health system non-/provision
Contraceptive education /
knowledge
Laws / regulations
Provider attitudes
Power to use

**“I can’t say he refused to use,
we never even talk about it
or anything”**

[15 years old; urban Zambia, 2018]



sex

contraceptive
non-/use


pregnancy

decision
to abort

abortion
(safe/
unsafe/
legal/
illegal)

Delays in identifying pregnancy
Stigma
Denial
Non-disclosure
Fear
Un/planned

“But then I was still worried because that has never happened to me, I have never missed my periods. Then I asked my neighbour who is a nurse, she told me that I was pregnant and that I should tell my mother. I told her I couldn't do that because my mother wouldn't spare me [a beating].”



sex


contraceptive
non-/use

pregnancy

decision
to abort

abortion
(safe/
unsafe/
legal/
illegal)

Knowledge about abortion
Whose decision?
Power
Coercion



“I was told that there was no way that I would take care of this child... I was asked how I would care for that child, where I would find clothes and how I would finish school? ... my father was very upset with me”

sex

contracep
tive
non-/use

pregnancy


decision
to abort

abortion
(safe/
unsafe/
legal/
illegal)

RESEARCHING ABORTION AND ADOLESCENTS


Treatment records

- Treatment records are accessed and anonymously copied, with permission, to validate individual reports of abortion care received and morbidity symptoms as a result of unsafe abortion procedures or attempts.
- Previously used in Zambia to generate evidence about pathways to care-seeking



Treatment records

- Treatment records are accessed and anonymously copied, with permission, to validate individual reports of abortion care received and morbidity symptoms as a result of unsafe abortion procedures or attempts.
- Previously used in Zambia to generate evidence about pathways to care-seeking



Research design

- ✓ Weekend recruitment
- ✓ Variable shift recruitment
- ✓ Trying not to exclude adolescents with disabilities
- ✓ 2 interviewer model

QUESTIONS?

- Coast, Ernestina and Murray, Susan (2016) "*These things are dangerous*": *understanding induced abortion trajectories in urban Zambia*. *Social Science & Medicine*, 153 . pp. 201-209.
<http://www.sciencedirect.com/science/article/pii/S0277953616300806>
- Leone, Tiziana, Coast, Ernestina, Parmar, Divya and Vwalika, Bellington (2016) *The individual level cost of pregnancy termination in Zambia: a comparison of safe and unsafe abortion*. *Health Policy and Planning*.
<http://heapol.oxfordjournals.org/content/early/2016/02/13/heapol.czv138.abstract>
- Parmar, D., Leone, T., Coast, E., Murray, S., Hukin, E. and Vwalika, B. (2015) *Cost of abortions in Zambia: a comparison of safe abortion and post abortion care*. *Global Public Health*
<http://www.tandfonline.com/doi/full/10.1080/17441692.2015.1123747>
- Freeman, E. & E. Coast (2019) "[Conscientious objection to abortion: Zambian healthcare practitioners' beliefs and practices](https://doi.org/10.1016/j.socscimed.2018.12.018)" *Social Science & Medicine*. 221: 106-114
<https://doi.org/10.1016/j.socscimed.2018.12.018>
- Coast, E., A. Norris, A. Moore & E. Freeman (2018) "[Trajectories of women's abortion-related care: a conceptual framework](https://doi.org/10.1016/j.socscimed.2018.01.035)" *Social Science & Medicine*. 200:199-210
<https://doi.org/10.1016/j.socscimed.2018.01.035>