

# **Building safer public spaces: Exploring gender difference in the perception of safety in public space through urban design interventions**

**Dr. Pablo Navarrete-Hernandez**

Institute of Housing (INVI), University of Chile, Santiago, Chile.

Department of Architecture and Urban Planning (DASU), Politecnico di Milano, Milan, Italy.

**Arielle Vetro**

Department of Social Policy, London School of Economics and Political Science, London, United Kingdom.

**Dr. Paz Concha**

Institute of Urban and Territorial Studies (IEUT), Pontificia Universidad Católica de Chile, Santiago, Chile.

Centre for Social Conflict and Cohesion Studies (COES), Santiago, Chile

## **Abstract**

Concern around personal safety is a significant factor in constraining women's access to and use of public space. One strategy presented to address this involves altering the design of built environments. However, tension and controversy surround these arguments in the literature on safety perception in public space. This study seeks to explore whether the presence of three design interventions commonly cited in the literature act to enhance or reduce perceptions of safety in public space, focusing on women's experiences in particular. Three design interventions are examined: public toilets, solid walls, and graffiti removal. To test these interventions, an image-based randomised control trial with 104 participants was conducted in 2018 in London (UK). A series of control and treatment images simulating each design intervention was viewed and ranked by participants according to perceived safety. The findings of this study suggest that: the presence of public toilets does not affect perceived safety; eliminating

graffiti has a weak significant impact on perceived safety; and removing solid walls leads to significant improvements of perceptions of safety, with the effect being stronger for women. These results suggest that to maximise investment effectiveness, urban design and planning policies that aim to increase perceptions of safety should be evidence-based, and need to integrate a gendered perspective. The presented technique could support urban design processes by examining the safety-enhancement impact of proposed public space interventions prior to their being rolled out.

*Keywords:* Public Space, Safety, Gender, Streetscapes; Urban Planning, Urban Design

## **Introduction**

The ability to safely utilise the urban public realm has profound implications for people's wellbeing. A wealth of research (Anderson et al., 2017; Cattell et al., 2008; Giddings et al., 2011) illustrates the benefits of public space utilisation including strengthened social inclusion, reinforced feelings of belonging and improved mental health. Studies also suggest that intensive use of public space can stimulate the local economy by boosting tourism and recreational activities and thereby increasing property values (CABE, 2004). Despite interest over recent decades in rejuvenating public spaces to stimulate their use – notably in Europe, the US and Latin America – concerns around inaccessibility and the exclusion of particular groups, among them women, from these spaces remain largely unaddressed (Cattell et al., 2008; Soraganvi, 2017).

According to Ratnayake (2013), concern for personal safety not only has a detrimental psychological effect but also limits a person's freedom and choice to move in a public space, thus reducing its use. Women as a group feature prominently in the literature on this subject, as it is argued that they face especially acute safety concerns

when accessing public spaces and considering travel patterns. A large body of literature documents gendered differences in uses of and travel patterns in the public realm. Blöbaum and Hunecke (1998) argue that women's concerns of personal safety can result in their exclusion from outdoor sport and leisure activities, contributing to decreased use and a more muted city life. The perceived safety of a place may result in women altering or altogether cutting out travel to places perceived as dangerous (Koskela, 1997; Gargiulo et al. 2020). Concern for personal safety thus has often been found to preclude women from full and meaningful inclusion in public spaces, thus limiting opportunities to effectively reap the benefits to one's wellbeing that come from accessing the public realm (Blöbaum and Hunecke, 2005; Thynell, 2016; Valentine, 1990).

One promoted strategy to tackle issues of perceived safety in public space is the design and planning of the urban environment (Blöbaum and Hunecke, 2005; Dymén and Ceccato, 2012; Harvey et al. 2015; Gargiulo et al. 2020; Jorgensen et al. 2002). Valentine (1990) argues that, particularly for women, "public environment can have an influence on...perception of safety and hence on their willingness to use spaces and places" (p.301), and so careful design and planning of public spaces should foster their use. A great deal of research details the consideration of perceived safety when designing and planning public spaces. Harvey et al. (2015) for instance, show how street skeleton - greenery, alignments and continuity of buildings and building street ratios - all impact perceived safety in public space, while Soraganvi (2017) argues that women are particularly deterred by poorly designed urban public spaces such as those with poor lighting, empty lots, lack of public toilets or inadequate signage.

While scholars argue for the importance of considering women's perceived safety when designing a space (Jiang et al. 2017), these concerns are often neglected in practice

(Burgess, 2008; Greed, 2005; Parker, 2016). This is due in part to a lack of practical evaluation tools and causal empirical evidence on their effectiveness in helping urban planners and designers to operate. For example, a recent Systematic Reviews and Meta-Analyses shows that while a range of built environment interventions have been hypothesised to increase safety perceptions, few empirical studies have shown their effectiveness, resulting in low-quality evidence owing to “possible confounders [involved in] complex social interventions such as these” (Lorenc et al., 2013, p.2). There is little evidence that widely used investment strategies such as improving street lighting or installing closed-circuit television (CCTV) have a significant impact on increased perception of safety.

In light of this evidence, we aim to assess the link between gender and perception of safety in public spaces while addressing some confounding factors seen in correlational studies<sup>1</sup>. By doing this, we provide a research strategy to test ex-ante the effectiveness of design interventions to enhance perceived safety using photo-simulations. To do this, we designed an image-based, randomised control trial (RCT) technique implemented through a purpose-built platform. We collected data from 104 participants in London (UK) in 2018 that stated their perceived safety of a series of control and treatment images representing three urban planning interventions in a public space: building public toilets, removing solid walls and removing graffiti. Through this experiment, we generated reliable estimates of whether these urban interventions have an impact on perceived safety in public space and whether there are differences between women and men.

The contribution of our paper is threefold. Firstly, we test the effectiveness of three widely promoted public space interventions on perceived safety on a sample of participants in

---

<sup>1</sup> For example, unobservable variables such as an individual’s personality traits might influence their perception of safety in a public space. In contrast, an Image-Based RCT technique balances observable and unobservable covariables of individuals rating control and treatment images, making groups comparable.

101 London, providing evidence to promote designs that enhance safety perception in public space.  
102 Secondly, we present an explicitly gender-focused piece of work that adds evidence to the  
103 existing urban research on the relation of women's safety perception to the built environment.  
104 Finally, by conducting this study, we present a RCT methodology based on photo-simulated  
105 scenarios that urban researchers and practitioners could use as a low-cost technique for testing  
106 the impact of urban interventions on the perceived safety of a public space before they are ruled  
107 out.

108 In the next section, we present an overview of the relevant literature on public  
109 space and gendered perceptions of safety, detailing the three design interventions assessed  
110 in the study. This is followed by a methodology section covering the main considerations  
111 for the image-based RCT. We then present our findings with a focus on the gender  
112 difference in safety perception. Finally, we conclude with a discussion of the  
113 generalisability, limitations, and policy implications of this study.

## 114 115 **Literature review** 116

### 117 ***Public space: gender inequality by planning and design***

118 There is increasing evidence that access to and participation in public space<sup>2</sup> can  
119 offer a range of social, emotional, and psychological benefits (Anderson et al., 2017;  
120 Cattell et al., 2008; Garcia-Ramon et al., 2004; Giddings et al., 2011; Mehta, 2016).  
121 Authors underline that the use of public space helps to build a sense of community by  
122 facilitating encounters and shared interactions, and promotes mental and physical health  
123 (Andersen et al., 2017; Cattell et al., 2008, Francis et al. 2012; Gargiulo et al. 2020;

---

<sup>2</sup> Used interchangeably with "public realm" in this paper.

Luymes and Tamminga 1995). Studies have also linked the active use of and participation in public spaces with lower levels of exclusion and isolation. Sauter and Huettenmoser have even proposed that “public space is one of the crucial elements in any society for the social, cultural, economic and political inclusion of its members” (2008, p.68).

Nevertheless, the benefits of using the public realm are not equally shared among members of society, as certain social groups have difficulty accessing or are explicitly excluded from public space due to their gender, age, ethnicity, abilities, economic backgrounds or citizenship status (Cattell et al., 2008; Garcia-Ramon et al., 2004; Jaabareen et al 2019; Williams et al. 2020). On the one hand, socioeconomic inequalities are built into spaces through design and planning. Low-quality public spaces tend to agglomerate in low-income areas, while socioeconomic spatial sorting means that vulnerable groups, such as female-headed households, are often found to “bear the brunt of poor environments” (Cavanagh, 1998, p.172; see also Williams et al. 2020). Since studies show that the quality of public space is related to the intensity of its use, vulnerable groups are disproportionately impacted by poor quality public space due to limited choices in where they live and work, and how they travel. (Garcia-Ramon et al., 2004; Jorgensen et al. 2002). On the other hand, exclusion from the public realm might also result from the lack of diversity consideration in urban planning. Theoretical and empirical studies show that poor urban design and planning of public spaces can serve as a powerful form of exclusion, deterring people from not only accessing public spaces but from navigating them with dignity and without fear (Chiodi 2016; Gargiulo et al. 2020; Luymes and Tamminga 1995; Whitzman 2013).

A vast body of literature recognises that design and planning do not take into account women’s uses of and experiences in public space, even though they differ

considerably from those of men (Burgess, 2008; Greed, 2005). These differences can be illustrated, for instance, by comparing distinct mobility patterns in cities by gender. Feminist scholars argue that broader structural factors can disproportionately affect women's movement patterns and experiences in cities around the world (Hanson, 2010; Beebeejaun, 2017; Chant, 2013). Women, for instance, are disproportionately responsible for caring and domestic duties and are overrepresented in part-time work. This results in women having more complex daily movement patterns and ultimately spending more time in public space than men (Levy, 2013; Garcia-Ramon et al., 2004; Whitzman, 2013). Generally, these considerations are not taken into account in urban planning, which instead bases its modelling methods on the male breadwinner's daily trajectory of "home-work-home". Current transport planning models thus find a failure to reflect "trip-chaining" travel patterns more common amongst women, such as "home-childcare-grocer-home-work-childcare-home" (Burgess, 2008; Greed and Johnson, 2014). Authors also argue that, due to having less access to private cars, women are more likely to walk or take public transport than men (Greed and Johnson, 2014; Whitzman, 2013). As a consequence, women may be exposed to encounters with strangers and therefore be significantly more concerned about safety when travelling (Thynell, 2016).

These analyses underline how planning and design reinforce gender inequalities. Investigating women's movements in and access to public space through the context of broader power structures highlights the need to consider and advance methods for the inclusion of women in the design and urban planning of public space (Cavanagh, 1998; Listerborn, 2015)<sup>3</sup>.

---

<sup>3</sup> It is also important to include an intersectional perspective as, for instance, women who are older, disabled or using a pram might have very different experiences navigating the same spaces as younger, able-bodied women without children (Whitzman, 2013; Gargiulo et al. 2020).

*Women's perception of safety in public space*

A key factor credited in shaping women's movement in public spaces is fear of violence. Cavanagh (1998, p.169) argues that concern over personal safety profoundly shapes women's lives and will "largely determine when and where women will go". However, concerns of safety cannot be fully tackled simply by addressing crime – there is now robust evidence showing a lack of relationship between crime rates and perceived safety (Romer et al., 2003). A neighbourhood, for instance, can experience a reduction of crime over time while the perceived safety of its community remains unchanged. Notions of women's safety thus move beyond merely the "absence of violence" to meaningfully integrating women's perceived freedom and confidence in moving through and accessing public space without fear (Shaw et al., 2013).

Studies have shown that women feel less safe than men in public space, displaying a range of hypotheses for this. The vulnerability hypothesis argues that perceived safety is the product of an individual's conception of their own vulnerability to victimisation (Baur, 2007). Compared to men, women's physical and social vulnerability results in a greater perception of risk in the built environment (Skogan and Maxfield, 1981). Indeed, studies show that women's susceptibility to "harassment and (sexual) violence, including staring, groping, remarks and stalking as well as assault" (Whitzman, 2013, p.39) contribute to feeling less safe in public than men, regardless of reported crime rates (Pain, 1997; Warr, 1984). Conversely, the emotional gender-stereotypes hypothesis postulates that while women are encouraged to express their emotions, men are expected to repress these feelings, including fear (Sutton and Farrall, 2005). Men are taught to play a protective role and to believe that physical strength can prevent them from becoming



victims of crime. This can lead to a tendency to minimise their fear and the risk of victimisation in a public space (Tulloch, 2000).

Existing correlational evidence explores the differing perspectives of men and women on the implementation of safety interventions in public space. For example, Yavuz and Welch (2010) indicate that the presence of cameras in public transit stations increases the perceived safety for both genders, with an impact notably higher in men. A UK study shows that while men can feel unsafe in the presence of groups of men, women can feel unsafe in the presence of a single man, with the reasons being gendered concerns of violence and sexual assault, respectively (Crime Concern, 2004). Research has also shown that women are more likely than men to avoid walking in dark public spaces, and to feel less safe in degraded or isolated spaces or from signs of uncivil behaviour such as vandalism or graffiti (Crime Concern, 2004; Yavuz and Welch, 2010; Gargiulo et al. 2020) and prefer to drive or take a taxi rather than walk (Atkins, 1989). This evidence suggests that policymakers should seriously consider a gendered perspective when planning public spaces if seeking to maximise perceived safety (Blöbaum and Hunecke, 2005; Pain, 1997; Valentine, 1990).

Despite the valuable work of the researchers noted above, such feminist perspectives remain peripheral to mainstream urban research and planning (Parker, 2016) while evidence remains correlational. As such, our study seeks to strengthen this body of work by offering causal evidence in support of the gendered nature of perceived safety in public space and practical methods to introduce a gendered lens in urban research and planning policy.

***Focusing on interventions in the built environment***

Several theories describe the potential mechanisms through which the built environment could impact perceived safety, leading to various urban design and planning strategies to address concerns of safety. Here we assess the impact of three theory-driven interventions commonly debated in the literature (Austin and Sanders, 2007; Beebeejaun, 2017; Greed, 2016; Chiodi, 2016; Jacobs, 1961): (1) the provision of public toilets based on feminist theories of women's restricted mobility, (2) the elimination of solid walls grounded in the "eyes on the street" theory of passive control, and (3) the removal of graffiti founded on the "broken windows" theory of stopping signs of disorder from spreading.<sup>4</sup> There are, however, many tensions and gaps in the literature surrounding these interventions, allowing for a valuable study to assess their impact on perceived safety.

### *Public Toilets*

Accessible and adequate public toilet provision in public space has been underlined as a key gendered issue affecting women's mobility and safety (Beebeejaun, 2017; Greed, 2016).

Inadequate toilet provision can serve to restrict the mobility of women in the public realm, as they tend to require access to toilets more often than men. Studies show that women generally urinate more frequently and may require increased toilet use for reasons related to menstruation, pregnancy or menopause (Greed, 2016), in addition to

---

<sup>4</sup> While there are many other theories- and practice-driven interventions that could be tested, we have selected these interventions for three reasons. First, these interventions correspond to potentially competing, theory-driven strategies to transform the built environment in order to enhance safety perceptions. Second, there are divided opinions about their impact in the literature (graffiti, public toilets, and solid walls), so testing their effectiveness contributes with empirical evidence to the ongoing academic and practitioner debates. Finally, all of the three selected interventions are commonly present in London, and therefore they look like reasonable photo-simulated scenarios to participants.

their prevalence as carers for vulnerable groups such as the elderly, children and people with disabilities (Afacan and Gurel, 2015). Research also shows that women are more frequent public transport users, often accompanying children or elderly family members (*ibid.*). As a result, a lack of provision in quantity and quality of toilets may restrict choices of routes and destinations for women.

Increased attention is being drawn to the link between public toilet provision and women's safety. In 2011, United Nations Women (UN-Women) argued that women's safety is compromised when female public toilets are situated in covert, poorly lit areas, and when men's public toilets open directly onto sidewalks (UN-Women, 2011). This report states that "better situated and maintained public toilets can go a long way in preventing sexual harassment of women" (p.7). It can thus be argued that adequate toilet provision and design help to increase women's perceived safety and, therefore, their participation in the public realm (Afacan and Gurel, 2015).

We seek to gain greater insight into how public toilets impact perceived safety, particularly for women.

### *Solid Walls*

A common strategy to promote safety is to establish an urban environment that ensures greater visibility of the public space, or allows for more "eyes on the street" (Chiodi, 2016). The frequently cited "eyes on the street" theory originates from sociologist and urban planner Jane Jacobs who suggests that more people, or "eyes," serve as a form of informal surveillance. By extension, it is argued that this increases the likelihood of witnesses and bystander intervention, thereby reducing crime and increasing perception of safety (Chiodi, 2016; Jacobs, 1961; Sweet and Escalante, 2010; Scott et al.

2008). Interventions to promote more “eyes on the street” have included the strategic placement of windows and entrances, the redesign of green spaces and the removal of solid walls or similarly large obstructions to public space visibility (Chiodi, 2016; Cozens et al., 2015). UN-Women (2011) also cited improved visibility, informal surveillance and “eyes on the street” as essential strategies to establish safer cities for women.

Despite its popularity, Jacobs’ theory and similar approaches have received criticism, mainly due to a lack of causal evidence on the reduction of crime rates or improved safety perception through purposeful design (Anderson et al., 2013). Notwithstanding these critiques, correlational research and safety audits have demonstrated that people, particularly women, tend to feel less safe in closed-off, isolated areas, and often feel safer in well-maintained spaces that have more people, higher levels of activity and non-enclosed vegetation settings and are in streets lined with houses, shops, restaurants and windows (Cattell et al., 2008; Gargiulo et al. 2020; Harvey 2015; Jorgensen et al. 2002; Mehta, 2014; Sandberg and Rönnblom, 2015).

We seek to add to causal evidence in determining whether or not improved visibility on the streets does indeed influence perceptions of safety in urban public space.

### *Graffiti*

A number of studies have argued that graffiti can lower perceived safety by increasing fear of crime (Austin and Sanders, 2007; Mehta, 2014; Rader et al., 2012). These arguments draw from Wilson and Kelling’s “broken windows” theory, which posits that vandalised, neglected and poorly maintained areas provide clues to criminal activity in the area and show that residents care little about the social or physical condition of their neighbourhood (Wilson and Kelling, 1982). Graffiti, in this context, is argued to

indicate neighbourhood incivilities and a neglected urban environment, enhancing public fear and, therefore, concerns of safety (Adu-Mireku, 2002). Similarly, some gender-sensitive urban planning research has suggested that removing graffiti will specifically improve women's perceptions of safety (UN-Women, 2011; Valentine, 1990). "Tough on graffiti" policy approaches have thus been popular amongst many local governments, particularly in the UK (Vanderveen and van Eijk, 2016, pp.109).

Nevertheless, researchers have questioned this approach and its theoretical underpinnings, finding more nuance in the public's view of graffiti. Research has illustrated how people's perceptions of graffiti can differ vastly. It may be deemed as offensive or fear-inducing, welcomed as a form of art or condemned as a crime (Shobe and Banis, 2014). Indeed, graffiti consists of a variety of forms, ranging from smaller tags to large-scale street art, and these different forms may be regarded and valued differently (Austin and Sanders, 2007; Vanderveen and van Eijk, 2016).

We explore whether removing graffiti, specifically tags, from the urban landscape could be considered a useful strategy to help promote perceived safety, particularly among women.

### ***Photosimulation and perceptions of safety in the built environment***

Photo simulations, a technique that involves manipulating photographs to recreate changes to the built environment, has been widely used to understand people's preferences in urban planning and environmental psychology research (Jorgensen et al., 2002; Kuo, Bacaicoa, & Sullivan, 1998; Rodiek & Fried, 2005). It has been often used to study the impact of landscape changes, for example, the effect of river restoration on the satisfaction of individuals' needs (Junker & Buchecker, 2008), the influence of

architectural design on adult's satisfaction with care home facilities (Cerina, Fornara, & Manca, 2017), or the effect of including car parks and natural elements over residents' preferences of commercial strip developments (Sullivan & Lovell, 2006).

A specific body of research uses photo-simulations to study the impact of built environment transformations on perceived safety. A number of studies focus on the effect of different types of green infrastructure on perceptions of safety, finding positive effects (Jiang et al. 2017, Kuo et al. 1998, Navarrete-Hernandez & Laffan 2019). A few studies have specifically utilized photo-simulation to assess urban environment transformations' impact on gendered perceptions of safety. One of these exceptions is Jian et al. (2017) whose study simulates improvement of alleyways, showing that assigning both urban functions (e.g. cafes or bike parking) and vegetation contributes to closing the safety perception gap between men and women. Jorgensen et al. (2012) use the presence or absence of people in photos of public parks to show that perceptions of safety increase at a higher rate for men than women. This body of literature demonstrates that photo simulation can be used to understand people's preferences for urban environments and, particularly, perceptions of safety. In this study, we use photo simulation to inform the design of public spaces that enhance perceptions of safety, notably for further inclusion of women in public space.

## **Empirical strategy**

### ***Study design***

To test the impact of these design interventions on perceived safety, we conducted an experiment to compare participants' perceptions of different urban spaces

using computerised photo-simulations. We used an online platform, Urban Experiment ([www.urban-experiment.com](http://www.urban-experiment.com)), to collect a data sample of 104 individuals walking in open streets in the London School of Economics (LSE) campus in 2018. Participants were presented with a series of six randomly assigned public space images, either control or treatment (with or without the incorporation of a safety-enhancing urban design or planning intervention, respectively), then rated them according to how safe they would feel walking alone in the presented public space. As with any RCT, this means that our results have strong internal validity, however, they should not be extrapolated to the larger population of London residents.<sup>5</sup>

The images were modified to represent three types of urban space interventions: 1) the introduction of public toilets; 2) the elimination of continuous solid walls from a street, and 3) the removal of graffiti. To obtain comparable pairs of images, we modified the control and treatment images to maintain consistency of all relevant features (cars, people and weather, among others) excluding the intervention being tested. We then obtained six pairs of images equal in all components, save for the treatment (Figure 1).

Figure 1: Photographic Simulations

---

<sup>5</sup> As we collected data from passers-by and volunteers near LSE, the sample of participants contains observable and unobservable characteristics that differ from the general London population. Therefore, the conclusion of this study applies to the sample and cannot be extrapolated to other populations directly.

TYPE OF  
INTERVENTION

CONTROL

TREATMENT

1. Graffiti  
(Small Size Tag)



2. Graffiti  
(Large Size Tag)



3. Public Toilets  
(Small size)



4. Public Toilets  
(Large size)



5. Blind Wall  
(Social Housing)



6. Blind Wall  
(Terrace Housing)



350

351 **Sampling method**

352 We installed a stand outside the LSE Library over the weekday period of July  
353 16-20, 2018. We approached potential participants and asked them to participate in a  
354 six-minute experiment. We did not offer monetary compensation or rewards. Volunteers  
355 completed a registration questionnaire requiring their socioeconomic information, read  
356 an experiment protocol and signed an informed consent form. Participants were



instructed to imagine themselves walking in the location shown in each image and to state their perception of safety on a scale from 1 (not at all safe) to 10 (very safe). Each participant saw a series of six randomly allocated full-screen images.

We selected this in-field experimental approach for two reasons. Firstly, conducting the study not in a laboratory but instead in a more natural setting can help to relax participants, potentially encouraging them to respond more authentically (Cheung, 2017) yet retain “the key experimental feature [of]...random assignment important for inferences of causality” (Pager, 2007, pp.109). Secondly, approaching participants ‘in-the-field’ is a strategy commonly used in urban planning and design and thus replicable in this setting (Navarrete-Hernandez and Laffan, 2019).

To ensure that covariates were balanced among control and treatment groups, we used an automated, dual-randomisation process. Firstly, we randomised the order of each pair of images presented. This allows controlling for any possible spillover effect that might affect participants' responses from one image to the next. Secondly, for every pair of images, we randomly assigned whether a control or treatment image would be seen. This allowed for the balanced assignment of covariates between the control and treatment groups. We conducted balance tests for each type of intervention to determine whether systematic differences were observed by gender, age, ethnicity, disability, employment status, educational level and order of image appearance. Across twenty-one conducted tests, none were significant at the 5% level, indicating a successful randomisation (output tables available on request).

#### ***Data set***

To perform our analysis, we use three sources of data: 1) background characteristics; 2) measures relating to the experimental conditions; and 3) participants' perceptions of safety. The socio-demographic data collected from participants' questionnaires provided information on gender identity, year of birth, ethnicity, student status and educational level. Descriptive statistics of participants are presented in Table 1. The second source of data collected was the experiment conditions of each image, including treatment status, order of appearance and the date of the test. The participants' declared perception of safety from 1 to 10 for each image is the dependent variable in the study.

Table 1: Descriptive statistics

Variables	Mean	S.D.	Min.	Max.
Gender (Female)	0.5	0.502	0	1
Birth Year	1993	5.111	1960	2000
Educational Level (University Degree or Above)	0.8	0.403	0	1
Disability (Yes)	0.04	0.195	0	1
Student Status (No)	0.19	0.396	0	1

### ***Empirical strategy***

The purpose of this experiment is to test whether three selected interventions affect people's perceptions of safety, and how this varies with gender. To analyse this, we use random intercept models with fixed effects at the image level. We include the random intercept to account for the presumption that each participant might have a unique predisposition to feel safe. We include an image's fixed effects to control for each image's average safety rating. The models take the following form:

$$(1) \quad \text{Perception}_{ij} = \beta_1 \text{Treatment}_i + \beta_2 \text{Image}_i + U_j + E_{ij}$$

where  $\text{Perception}_{ij}$  is the declared perception of safety of participant  $j$  for image  $i$ .  $\text{Treatment}$  is a dummy variable equal to one if the  $i$ th image contains a public space intervention (treatment) and 0 otherwise (control).  $\beta_1$ , the Average Treatment Effect, is the central coefficient of interest which captures the impact of the interventions on participants' reported safety.  $\text{Image}_i$  is an image fixed effect for the  $i$ th image.  $U_j$  is the random intercept associated with the  $j$ th individual.  $E_{ij}$  is the error term.

We analyse the impact of design and planning interventions in the following ways. Firstly, we run EQ.1 at an aggregate level to estimate the overall impact of selected interventions on participants' perceived safety. Following that, we run EQ.1 on the three subsamples to test the impact of each intervention type. Finally, we run EQ.1 in gendered subsamples to explore the impact of interventions by gender.

### ***Robustness checks***

We examine the robustness of results by running EQ.1 with and without control variables (EQ.2). Control variables include a respondent's socio-demographic characteristics (gender, age, educational level, disability and employment status) as well as two study conditions: the time and day of the response. The model takes the following form:

$$(2) \quad \text{Perception}_{ij} = \beta_1 \text{Treatment}_i + \beta_2 \text{Image}_i + \beta_3 X_{ij} + U_j + E_{ij}$$

The model takes the same form as EQ.1 with the exception of  $X_{ij}$  which contains the demographic variables for participant  $j$  and study condition measures for image  $i$ .

424

425

## Results

### *General findings for all participants*

427

428

429

430

431

#### *Are safety enhancement interventions effective?*

433

434

435

436

437


438

439

440

441

442 Figure 2: Impact of Safety Enhancement Interventions (All Interventions)




Note: Regression results are plotted with and without controls. Each point represents the average treatment effect compared with images with no interventions. Capped spikes represent 95% confidence intervals. \*\*\*  $p < 0.01$ , \*\*  $p < 0.05$ , \*  $p < 0.1$ , n.s no significant.

#### *Which safety enhancement interventions are effective?*

Figure 3 illustrates the change in the participants' safety perceptions following each of the three types of interventions. As Table 2.B (columns 1 and 3) indicates, we find a positive, though statistically insignificant, increase in perceived safety for removing tags (estimate=0.297, S.D.=0.331,  $p=0.370$ ) and building public toilets (estimate=0.258, S.D.=0.280,  $p=0.357$ ). As column 5 in Table 2.B shows, the removal of solid walls is the only intervention that has a statistically significant impact on enhancing perceived safety (estimate=0.900, S.D.= 0.273,  $p=0.001$ ). As shown in columns 2, 4 and 6 in Table 2.B, these results remain stable with the addition of controls.

Figure 3: Impact of Safety Enhancement Intervention (By intervention type)



Note: Regression results are plotted with and without controls. Each point represents the average treatment effect compared with images with no interventions. Capped spikes represent 95% confidence intervals. \*\*\*  $p < 0.01$ , \*\*  $p < 0.05$ , \*  $p < 0.1$ , n.s no significant.

### General findings by gender


The following subsection explores how findings varied depending on a participant's gender identity. To assess this, we break the interventions down by gender and intervention type. We perform three different data analyses to determine: 1) whether overall perceived safety in a public space varies by gender; 2) whether the impact of interventions varies by gender; and 3) the most effective interventions for each gender.

### Gendered perception of safety

We first run an exploratory analysis to test the hypothesis that public space is perceived differently by women and men. For this, we analyse participants' perceived

safety level for images containing a typical London street landscape, i.e. without any toilets, graffiti or significant solid walls.<sup>6</sup> Figure 4 displays the differences between women and men (baseline) on their public space safety perception, pooling all without intervention images. The results suggest that on average, women and men feel equally safe viewing the control images that represent a typical London street landscape. As column 1 in Table 2.C (see Appendix) shows, perceived safety of female participants is marginally less than that of male participants, with the difference being statistically insignificant (estimate=-0.638, S.D.=0.362,  $p<0.860$ ). As column 2 in Table 2.C shows, this result is robust with the addition of eight controls.

Figure 4: Gendered Perception of Safety Without Interventions




Note: Regression results are plotted with and without controls. Each point represents the average treatment effect compared to men's safety perception score. Capped spikes represent 95% confidence intervals. \*\*\*  $p<0.01$ , \*\*  $p<0.05$ , \*  $p<0.1$ , n.s no significant.

<sup>6</sup> We run the regression using safety perception ratings for images 1. B, 2.B, 3.A, 4.A, 5.B, and 6.B in Figure 1.

These results are consistent throughout the analysis of control images for each type of intervention. As Figure 5 indicates, we do not find significant gendered differences in perceived safety of non-intervened street images for any of the tested typologies (absence of tags, absence of public toilets, and absence of solid walls). As columns 2, 4, and 6 in Table 2.D indicate, these results are robust with the addition of control covariates.

Figure 5: Gendered Perception of Safety Without Interventions (by Interventions Types)



Note: Regression results are plotted with and without controls. Each point represents the average treatment effect compared to men's safety perception score. Capped spikes represent 95% confidence intervals. \*\*\*  $p < 0.01$ , \*\*  $p < 0.05$ , \*  $p < 0.1$ , n.s no significant.

### Intervention type findings by gender


*Does the effectiveness of safety enhancement interventions differ by gender?*

Figure 6 indicates that the tested urban planning interventions have a significant positive impact on perceived safety for women (estimate=0.572, S.D.=0.215,  $p < 0.008$ )



whereas the increase for men is smaller and not statistically significant (estimate=0.238, S.D.=0.205,  $p < 0.247$ ). The estimated impacts on perceived safety remain stable with the incorporation of controls; see Table 2.E in the Appendix for more details.

Figure 6: Impact of Safety Enhancement Interventions by Gender (All Interventions)




Note: Regression results are plotted with and without controls. Each point represents the average treatment effect compared with images with no interventions. Capped spikes represent 95% confidence intervals. \*\*\*  $p < 0.01$ , \*\*  $p < 0.05$ , \*  $p < 0.1$ , n.s no significant.

*Which safety enhancement interventions are effective?*

Figure 7 shows the impact of the three studied street interventions on women's perception of safety in public space. As Table 2.F indicates (column 1), there is a strong increase in female participants' perceived safety by removing solid walls facing streets (estimate=1.136, S.D.=0.329,  $p < 0.001$ ). As columns 3 and 5 in the same table show, the removal of street tags has a significant positive impact on female participants' perceived

safety (estimate=1.084, S.D.=0.207,  $p=0.039$ ), while the addition of public toilets to public space has a positive, yet not significant, impact (estimate=0.201, S.D.=0.207,  $p=0.672$ ). As columns 2, 4 and 6 in Table 2.F indicate, with the addition of controls, the results for the addition of toilets and removal of solid walls remain stable, while the results for the removal of street tags become weakly significant ( $p=0.071$ ).

Figure 7: Impact of Safety Enhancement Interventions for Women (by Intervention Type)




Note: Regression results are plotted with and without controls. Each point represents the average treatment effect compared with images with no interventions. Capped spikes represent 95% confidence intervals. \*\*\*  $p<0.01$ , \*\*  $p<0.05$ , \*  $p<0.1$ , n.s no significant.

Figure 8 illustrates the differences in male participants' reported perceptions of safety before and after the incorporation of the three interventions. As Table 2.G (columns 1, 3 and 5) indicates, the removal of street tags has a negative impact, (estimate=-0.458, S.D.=0.358,  $p=0.241$ ) while the addition of public toilets

(estimate=0.348, S.D.=0.304,  $p=0.251$ ) and removal of solid walls (estimate=0.652, S.D.=0.420,  $p=0.120$ ) have a positive impact on perceived safety. However, none of the changes are statistically significant. As shown in columns 2, 4, and 6 of Tablet 2.G, the estimated impact on perceived safety remains stable with the addition of controls.

Figure 8: Impact of Safety Enhancement Interventions for Men (by Intervention Type)



Note: Regression results are plotted with and without controls. Each point represents the average treatment effect compared with images with no interventions. Capped spikes represent 95% confidence intervals. \*\*\*  $p<0.01$ , \*\*  $p<0.05$ , \*  $p<0.1$ , n.s no significant.

## Discussion

The central objective of this study is to provide a research tool to test ex-ante the effectiveness of design interventions to enhance perceived safety using photo-simulations. In doing so, this work adds to causal evidence on the relationship between three urban interventions and gendered safety perceptions. This image-based technique

has enabled us to produce a priori evidence of the expected impacts of proposed design and planning interventions.

Overall, the findings of this study suggest that certain design interventions can have a significant impact on enhancing perceived safety, and also highlight the differences of these impacts by gender. When considering the entire sample, urban interventions have a positive and statistically significant impact on perceived safety in the public space. Separating the results by intervention type, we find that although each intervention have a positive estimate, we only find a significant impact for the removal of solid walls. This finding supports the component of Jacob's "eyes on the street" theory that people feel less safe in areas containing potentially isolating structures, such as solid walls and visibility-reducing barriers (Sandberg and Rönnblom, 2015). Conversely, people feel safer in spaces containing rows of housing that line streets with windows (Chiodi, 2016).

When assessing the treatment by gender, we can observe gendered differences in these impacts. Typical streets without interventions showed no difference in perceived safety by gender. When analysing all interventions by gender, we found that perceptions of safety only increase significantly for women. This suggests that, although there may not be a systematic difference in perceived safety by gender in a typical public space, women are more sensitive to improvements in public space. Overall, these findings support feminist theories of the gendered nature of safety perception in public space, and that a gendered approach to urban design and planning is needed to close this gap (Burgess, 2008; Soraganvi, 2017; Valentine, 1990).

In further analysis, we assess perceived safety by type of intervention and gender combined. We found that removing solid walls significantly increases perceived

safety for women only, while eliminating graffiti is shown to have a similar positive effect, although weakly significant. For men, interventions have no significant impact on perceived safety. This finding supports claims that more isolated streets – with fewer opportunities for surveillance and bystander intervention – make women feel more unsafe than men in the same location; a gendered interpretation of the “eyes on the street” theory. When considering the removal of graffiti, the results should be taken with caution. While our study suggests that the presence of graffiti has a negative impact on perceived safety for women, research does also indicate that tags, as used in this study, are often reported to be the least popular type of graffiti (Shobe and Banis, 2014). Therefore, other graffiti typologies, such as murals, may not be wholly perceived as a negative feature of public space (Vanderveen and van Eijk, 2015).

Our research did not find evidence that the addition of public toilets increases perceptions of safety. As such, we cannot conclusively solve the ongoing debate over whether the addition of public toilets improves perceived safety, thereby facilitating women’s increased movement in public space (Afacan and Gurel, 2015).

This study is not without its limitations. The current findings correspond to a convenience sample of passers-by in a street within a London university campus. Subsequently, this study incorporates a large proportion of students and young adults, and was carried out in an affluent area of London, in Summer. As such, results cannot be extrapolated to other population groups or other seasons of the year. Similarly, the category of “women” is not invariable but nuanced and complex, given the multifaceted identities of women (Crenshaw, 1989). While there is no a priori reason to believe the recorded effects would show opposite outcomes or disappear in other samples, they may vary when considering an intersectional perspective, including factors such as ethnicity

(Dymén and Ceccato, 2012; Sandberg and Rönnblom, 2015). In future, we plan to collect a larger sample with a diversity of ethnicities, allowing us to identify any effects that these variables may have on our findings.

A further consideration is the exposure of participants solely to photo-visual landscapes. Research shows that the interaction of visual and audial stimuli can enhance people's perceived emotions (Annerstedt et al., 2013). Furthermore, photo stimuli provide a non-immersive environment compared to video and virtual reality technologies. Environmental factors such as temperature, observers' point of view, or the scent of a place all impact people's experience of public space, and therefore can interact with visual factors to either enhance or diminish these results. However, we selected an image-based method for three reasons. First, this method is affordable, thus it can be implemented by urban designers and planners in developed and developing countries alike. Second, it provides insights into the impact the built environment has on one of the most important senses used to navigate urban space: the visual sense. Finally, photo-simulations' ratings produce a conservative, lower-bound estimate of the impact of visual changes of an urban landscape, rendering it a reliable tool for decision making. This is because if we find significant results with low visual stimuli, we expect to obtain larger estimates through more immersive methods or in reality. Furthermore, research shows that perceived safety does not differ significantly between static images and more immersive media representation (Rosseti and Hurtubia, 2020).

A final restriction of the study is the limited number of images. Although in this experiment we measure the impact of urban interventions on people's perceptions of safety while holding constant other image elements (e.g. people, cars, vegetation and lighting), we cannot test the contextual impact of where an intervention is placed.

Further studies should, therefore, test an intervention in different urban contexts to understand the robustness of results across city contexts.

The methodological approach presented in this study has the potential to feed a gendered perspective into everyday urban design and planning in public spaces. An image-based RCT could be incorporated, for example, into urban regeneration strategies that test - through participatory processes - the impact of different design prototypes and separate results by gender in order to ensure that women's perceptions of safety are considered. Moreover, by associating geotagged coordinates with the images, this technique could be used as a planning tool to identify the location of urban spaces that women perceive as unsafe, and then to rapidly prototype and test interventions at minimal cost. Conducting this type of experiment, along with follow up interviews, could provide researchers with insights into what works to increase women's perceptions of safety, and also why this is the case and what are the mechanisms at play. Finally, running this type of image-based RCT using a more representative sample could increase the external validity of this type of study.

## Conclusion

This study explores whether urban design and planning interventions in public space have an impact on perceived safety and whether the results vary by gender. By doing so, we contribute – with causal evidence – to the existing literature on gendered theories of the urban public realm, while also offering a practical methodological tool to incorporate a gender-attentive approach in everyday urban policy and research. This

tool allows researchers and practitioners to identify effective design and planning interventions to enhance perceived safety amongst women.

Despite limitations, the study provides further evidence that strengthens existing theories of gendered differences in public space. While feminist or gender-focused approaches to urban design and planning practice remain at the margins (Parker, 2017; Burgess, 2008), this study's findings provide clear evidence to support the efforts to adopt a gender-sensitive approach to create safe and inclusive built environments. Although our study provides insights into the gendered perceptions of safety in public space, our sample was primarily young, non-disabled, highly educated students. Further studies casting a broader sample can investigate if perceptions of safety differ not only for women of different ethnicities but also for older women, carers, and women with disabilities. Applying the presented research tool with an intersectional approach can then help to design built environments that better serve all women considering their differing identities.

When planning and designing the urban environment, consideration of the needs of women alone will not solve the deep-rooted issues of gender inequality and violence against women in public space (Burgess, 2008; Listerborn, 2003; Sandberg and Rönnblom, 2015). However, it is a necessary step for the inclusion of women on equal grounds in the public realm (Beebeejaun, 2017). As feminist scholars have argued, thoughtful gender-attentive planning can play an essential role in helping to design a built environment where women feel the freedom and confidence to move through and access public space without fear (Levy, 2013). In this way, they may better experience the advantages and rewards associated with their inclusion and participation in urban life.



## References

- Adu-Mireku, S. (2002). Fear of crime among residents of three communities in Accra, Ghana. *International Journal of Comparative Sociology*, 43, pp.53-169.
- Afacan, Y., & Gurel, M. (2015). Public Toilets: An exploratory study on the demands, needs, and expectations in Turkey. *Environment and Planning B: Planning and Design*, 42(2), pp.242-262.
- Anderson, J., Ruggeri, K., Steemers, K., et al. (2017). Lively social space, well-being activity, and urban design: Findings from a low-cost community-led public space intervention. *Environment and Behavior*, 49(6), pp.685-716.
- Annerstedt, M., Jönsson, P., Wallergård, M., et al. (2013) Inducing physiological stress recovery with sounds of nature in a virtual reality forest — Results from a pilot study. *Physiology & Behavior*, 118, pp.240-250.
- Atkins, S. (1989) *Critical paths: designing for secure travel*. Design Council, London.
- Austin, D., & Sanders, C. (2007). Graffiti and perceptions of safety: A pilot study using photographs and survey data. *Journal of Criminal Justice and Popular Culture*, 14(4), pp.292-316.
- Baur, J. (2007) *Fear of crime: the impact of age, victimization, perceived vulnerability to victimization and neighborhood characteristics*. Report No.16, Australasian Centre for Policing Research
- Beebeejaun, Y. (2017). Gender, urban space, and the right to everyday life. *Journal of Urban Affairs*, 39(3), pp.323-334.

703 Blöbaum, A., & Hunecke, M. (2005). Perceived danger in urban public space: the  
 704 impacts of physical features and personal factors. *Environment and*  
 705 *Behavior*, 37(4), pp.465-486.

706 Brown, S., Mason, C., Perrino, T. et al. 2008. Built Environment and Physical  
 707 Functioning in Hispanic Elders: The Role of “Eyes on the Street”.  
 708 *Environmental Health Perspectives*, 116(10), pp.1300-1307.

709 Burgess, G. (2008). Planning and the gender equality duty – why does gender  
 710 matter? *People, Place & Policy Online*, 2(3), pp.112-121.

711 CABE (Commission for Architecture and the Built Environment). (2004). *The value*  
 712 *of public space*. How high quality parks and public spaces create economic  
 713 social and environmental value.

714 Cattell, V., Dines, N., Gesler, W., et al. (2008). Mingling, observing, and lingering:  
 715 Everyday public spaces and their implications for well-being and social  
 716 relations. *Health and Place*, 14(3), pp.544-561.

717 Cavanagh, S. (1998). Women and the urban environment. In C. Greed & M. Roberts  
 718 (Eds.) *Introducing urban design: Interventions and Responses*. New York:  
 719 Routledge.

720 Cerina, V., Fornara, F., & Manca, S. (2017). Architectural style and green spaces  
 721 predict older adults' evaluations of residential facilities. *European Journal of*  
 722 *Ageing*, 14(3), 207–217.

723 Chant, S. (2013). Cities through a “gender lens”: a golden “urban age” for women in  
 724 the global South? *Environment & Urbanization*, 25(1), pp. 9-29.

725 Cheung, H., Hebl, M., King, E., et al. (2017). Back to the future: Methodologies that  
 726 capture real people in the real world. *Social Psychological and Personality*  
 727 *Science*, 8(5), pp.564-572.

728 Chiodi, S. (2016). Crime prevention through urban design and planning in the smart  
 729 city era. *Journal of Place Management and Development*, 9(2), pp.137-152.

730 Cozens, P., Love, T., & Nasar, J. (2015). A Review and Current Status of Crime  
 731 Prevention through Environmental Design (CPTED). *Journal of Planning*  
 732 *Literature*, 30(4), pp.393-412.

733 Crenshaw, K. (1989). Demarginalizing the intersection of race and sex: A Black  
 734 feminist critique of antidiscrimination doctrine, feminist theory and  
 735 antiracist politics. *University of Chicago Legal Forum*, 1989(1), pp.139-167.

736 Crime Concern (2004) *People's conceptions of personal security and their concerns*  
 737 *about crime on public transport: research findings*. London: Department of  
 738 Transport.

739 Dymén, C., & Ceccato, V. (2012). An international perspective of the gender  
 740 dimension in planning for urban safety. In V., Ceccato (Ed.), *The urban*  
 741 *fabric of crime and fear*. Netherlands: Springer.

742 Francis, J., Wood, F. and Knuiman, M., et al. (2012). Quality or quantity? Exploring  
 743 the relationship between Public Open Space attributes and mental health in  
 744 Perth, Western Australia. *Social Science & Medicine*, 74(10), pp.1570-1577

745 Garcia-Ramon, M., Ortiz, A., & Prats, M. (2004). Urban planning, gender and the  
 746 use of public space in a peripheral neighbourhood of  
 747 Barcelona. *Cities*, 21(3), pp.215-223.

748 Gargiulo, I., Garcia, X., Benages-Albert, M., Martinez, J., Pfeffer, K. and Vall-  
749 Casas, P. (2020) Women's safety perception assessment in an urban stream  
750 corridor: Developing a safety map based on qualitative GIS. *Landscape and*  
751 *Urban Planning*, 198, 103779.

752 Giddings, B., Charlton, J., & Horne, M. (2011). Public squares in European city  
753 centres. *Urban Design International*, 16(3), pp.202-212.

754 Greed, C. (2005). Overcoming the factors inhibiting the mainstreaming of gender  
755 into spatial planning policy in the United Kingdom. *Urban Studies*, 42(4),  
756 pp.719-749.

757 Greed, C. (2016). Taking women's bodily functions into account in urban planning  
758 and policy: Public toilets and menstruation. *The Town Planning*  
759 *Review*, 87(5), pp.505-524.

760 Greed, C., & Johnson, D. (2014). *Planning in the UK: An introduction*. Hampshire:  
761 Palgrave Macmillan.

762 Harvey, Ch., Aultman-Hall, L., Hurley, S. and Troy, A. (2015) Effects of skeletal  
763 streetscape design on perceived safety. *Landscape and Urban Planning*,  
764 142, pp.18-28.

765 Hanson, S. (2010) Gender and mobility: new approaches for informing  
766 sustainability. *Gender, Place & Culture*, 17(1), pp. 5-23.

767 Jacobs, J. (1961). *The death and life of great American cities*. New York: Random  
768 House.

769 Jabareen, Y., Eizenberg, E. and Hirsh, H. (2019) Urban landscapes of fear and  
770 safety: The case of Palestinians and Jews in Jerusalem. *Landscape and*  
771 *Urban Planning*, 189, pp.46-57.

772 Jiang, B., Mak, C. N. S., Larsen, L., and Zhong, H. (2017). Minimizing the gender  
 773 difference in perceived safety: Comparing the effects of urban back alley  
 774 interventions. *Journal of Environmental Psychology*, 51, pp. 117-131.  
 775 Jorgensen, L. J., Ellis, G. D., & Ruddell, E. (2013). Fear perceptions in public parks.  
 776 *Environment and Behavior*, 45(7), 803-820.  
 777 Jorgensen, A., Hitchmough, J. and Calvert, T. (2002) Woodland spaces and edges:  
 778 their impact on perception of safety and preference. *Landscape and Urban*  
 779 *Planning*, 60(3), pp. 135-150.  
 780 Junker, B., & Buchecker, M. (2008). Aesthetic preferences versus ecological  
 781 objectives in river restorations. *Landscape and Urban Planning*, 85(3–4),  
 782 141–154.  
 783 Koskela, H. (1997). 'Bold Walk and Breakings': Women's spatial confidence versus  
 784 fear of violence. *Gender, Place and Culture*, 4(3), pp.301-320.  
 785 Kuo, F. E., Bacaicoa, M., & Sullivan, W. C. (1998). Transforming inner-city  
 786 landscapes: Trees, sense of safety, and preference. *Environment and*  
 787 *Behavior*, 30(1), 28–59.  
 788  
 789 Levy, C. (2013). Travel choice reframed: “deep distribution” and gender in urban  
 790 transport. *Environment & Urbanization*, 25(1), pp.47-63.  
 791 Listerborn, C. (2016). Feminist struggle over urban safety and the politics of  
 792 space. *European Journal of Women's Studies*, 23(3), pp.251-264.  
 793 Lorenc, T., Petticrew, M., Whitehead, M., et al. (2013) Environmental interventions to  
 794 reduce fear of crime: systematic review of effectiveness. *Systematic Reviews*  
 795 2013, pp.2-30.

- Luymes, D. and Tamminga, K. (1995) Integrating public safety and use into planning urban greenways. *Landscape and Urban Planning*, 33, pp. 391-400.
- Mehta, V. (2014). Evaluating Public Space. *Journal of Urban Design*, 19(1), pp.53-88.
- Navarrete-Hernandez, P., & Laffan, K. (2019). A greener urban environment: Designing green infrastructure interventions to promote citizens' subjective wellbeing. *Landscape and Urban Planning*, 191, pp.1-14.
- Pain, R. (1997). Social Geographies of Women's Fear of Crime. *Transactions of the Institute of British Geographers*, 22(2), pp.231-244.
- Pager, D. (2007). The use of field experiments for studies of employment discrimination: Contributions, critiques, and directions for the future. *The Annals of the American Academy of Political and Social Science*, 609(1), pp.104-133.
- Parker, B. (2016). Feminist forays in the city: Imbalance and intervention in urban research methods. *Antipode*, 48(5), pp.1337-1358.
- Rader, N., Cossman, J., & Porter, J. (2012). Fear of crime and vulnerability: Using a national sample of Americans to examine two competing paradigms. *Journal of Criminal Justice*, 40(2), pp.134-141.
- Ratnayake, R. (2013). Fear of Crime in Urban Settings: Influence of Environmental Features, Presence of People and Social Variables. *The Planning Research Journal*, 3, pp.30-43.
- Rodiek, S. D., & Fried, J. T. (2005). Access to the outdoors: Using photographic comparison to assess preferences of assisted living residents. *Landscape and Urban Planning*, 73(2-3), 184-199.

820 Romer, D., Jamieson, K. and Aday, S. (2003). Television news and the cultivation of  
821 fear of crime, *Journal of Communication*, 53, pp.88–104.

822 Rossetti T., Hurtubia R. (2020) An assessment of the ecological validity of immersive  
823 videos in stated preference surveys, *Journal of Choice Modelling*, 34,  
824 100198.

825 Sandberg, L., & Rönnblom, M. (2015). ‘I don’t think we’ll ever be finished with  
826 this’: Fear and safety in policy and practice. *Urban Studies*, 52(14),  
827 pp.2664-2679.

828 Sauter, D., & Huettenmoser, M. (2008). Liveable streets and social inclusion. *Urban*  
829 *Design International*, 13(2), pp.67-79.

830 Shaw, M., Andrew, C., Whitzman, C., et al. (2013). Introduction: challenges,  
831 opportunities and tools. In C. Whitzman, C. Legacy, C. Andrew, et al.  
832 (Eds.), *Building inclusive cities: Women's safety and the right to the city*.  
833 Abingdon: Routledge.

834 Shobe, H., & Banis, D. (2014). Zero graffiti for a beautiful city: The cultural politics  
835 of urban space in San Francisco. *Urban Geography*, 35(4), pp.1-22.

836 Skogan, W. and Maxfield, M. (1981) *Coping with Crime: Individual and*  
837 *Neighborhood Reactions*. Beverly Hills: Sage Publications.

838 Soraganvi, S. (2017). Safe Public Places: Rethinking Design for Women Safety.  
839 *International Journal on Emerging Technologies*, 8(1), pp.304-308.

840 Sutton, R. and Farrall, S. (2005) Gender, socially desirable responding and the fear of  
841 crime, *The British Journal of Criminology*, 45, pp.212–224.

842 Sullivan, W. C., & Lovell, S. T. (2006). Improving the visual quality of commercial  
843 development at the rural–urban fringe. *Landscape and Urban Planning*,  
844 77(1–2), 152–166.

845 Sweet, E., & Escalante, S. (2010). Planning responds to gender violence: Evidence  
846 from Spain, Mexico and the United States. *Urban Studies*, 47(10), pp.2129–  
847 2147.

848 Thynell, M. (2016). The quest for gender-sensitive and inclusive transport policies in  
849 growing Asian cities. *Social Inclusion*, 4(3), pp.72–82.

850 Tulloch, M. (2000) The meaning of age differences in the fear of crime: combining  
851 quantitative and qualitative approaches, *The British Journal of Criminology*,  
852 40, pp.451–467.

853 UN-Women (2011). *Building safe and inclusive cities for women a practical guide*.  
854 New Delhi: UN-Women.

855 Valentine, G. (1990). Women’s fear and the design of public space. *Built*  
856 *Environment*, 16(4), pp.288–303.

857 Vanderveen, G., & Van Eijk, G. (2016). Criminal but beautiful: A study on graffiti  
858 and the role of value judgments and context in perceiving  
859 disorder. *European Journal on Criminal Policy and Research*, 22(1),  
860 pp.107–125.

861 Warr, M. (1984) Fear of victimization: why are women and the elderly more afraid?,  
862 *Social Science Quarterly*, 65, pp.681–702.

863 Whitzman, C. (2013). Women’s safety and everyday mobility. In C. Whitzman, C.  
864 Legacy, C. Andrew, et al. (Eds.), *Building inclusive cities: Women's safety*  
865 *and the right to the city*. Abingdon: Routledge.



- 866 Williams, T., Logan, T., Zuo, C., Liberman, K. and Guikema, S. (2020) Parks and  
867 safety: a comparative study of green space access and inequity in five US  
868 cities. *Landscape and Urban Planning*, 201, 103841.
- 869 Wilson, J., & Kelling, G. (1982). Broken windows: The police and neighbourhood  
870 safety. *The Atlantic Monthly*, March.
- 871 Yavuz, N. and Welch, E. (2010) Addressing Fear of Crime in Public Space: Gender  
872 Differences in Reaction to Safety Measures in Train Transit. *Urban Studies*,  
873 47(12), pp.2491–2515

874 **Appendix**

Table 2: Impact of Safety Perception Enhancement Interventions

A. All Genders		
VARIABLES	All Interventions	
	(1)	(2)
Treatment	0.415*** (0.146)	0.409*** (0.148)
Controls	No	Yes
Constant	6.551*** (0.260)	8.407*** (0.750)
Observations	831	831
Number of groups	104	104
Robust standard errors in parentheses *** p<0.01, ** p<0.05, * p<0.1		

B. All Genders (By intervention type)							
VARIABLES	Tags		Toilets		Solid Walls		
	(1)	(2)	(3)	(4)	(5)	(6)	
Treatment	0.297 (0.331)	0.260 (0.339)	0.258 (0.280)	0.254 (0.268)	0.900*** (0.273)	0.925*** (0.261)	
Controls	No	Yes	No	Yes	No	Yes	
Constant	6.607*** (0.293)	8.111*** (0.894)	6.446*** (0.308)	7.937*** (1.056)	5.970*** (0.265)	8.427*** (0.897)	
Observations	208	208	311	311	312	312	
Number of groups	104	104	104	104	104	104	
Robust standard errors in parentheses *** p<0.01, ** p<0.05, * p<0.1							

C. Men and women (typical street)		
VARIABLES	Baseline	
	(1)	(2)
Women	-0.0256 (0.396)	0.0665 (0.384)
Controls	No	Yes
Constant	6.582*** (0.404)	7.872*** (1.126)
Observations	412	412
Number of groups	103	103
Standard errors in parentheses *** p<0.01, ** p<0.05, * p<0.1		

D. Men and women by intervention type (typical street)							
VARIABLES	Tags		Toilets		Solid Walls		
	(1)	(2)	(3)	(4)	(5)	(6)	
Women	-0.604 (0.547)	-0.377 (0.521)	0.0937 (0.512)	0.484 (0.504)	-0.338 (0.495)	-0.205 (0.487)	
Controls	No	Yes	No	Yes	No	Yes	
Constant	7.323*** (0.814)	7.721*** (1.644)	5.411*** (0.677)	6.592*** (1.431)	7.558*** (0.791)	9.251*** (1.481)	
Observations	98	98	170	170	144	144	
Number of groups	67	67	95	95	88	88	
Robust standard errors in parentheses *** p<0.01, ** p<0.05, * p<0.1							

Table 2: (Continuation)

*E. Men and women (Treatment effect)*

VARIABLES	Women		Men	
	(1)	(2)	(3)	(4)
Treatment	0.572*** (0.216)	0.568*** (0.216)	0.238 (0.205)	0.217 (0.207)
Controls	No	Yes	No	Yes
Constant	6.398*** (0.407)	8.043*** (1.462)	6.789*** (0.319)	8.968*** (0.821)
Observations	407	407	416	416
N. of groups	51	51	52	52

Robust standard errors in parentheses

\*\*\* p&lt;0.01, \*\* p&lt;0.05, \* p&lt;0.1

*F. Women's perceived safety (by intervention type)*

VARIABLES	Tags		Toilets		Solid Walls	
	(1)	(2)	(3)	(4)	(5)	(6)
Treatment	1.084** (0.526)	1.034* (0.573)	0.201 (0.476)	0.277 (0.451)	1.136*** (0.329)	1.202*** (0.293)
Controls	No	Yes	No	Yes	No	Yes
Constant	6.157*** (0.477)	6.545*** (1.785)	6.404*** (0.495)	7.062*** (1.766)	5.726*** (0.402)	8.813*** (1.858)
Observations	102	102	152	152	153	153
N. of groups	51	51	51	51	51	51

Robust standard errors in parentheses

\*\*\* p&lt;0.01, \*\* p&lt;0.05, \* p&lt;0.1

*G. Male perceived safety (By type of intervention)*

VARIABLES	Tags		Toilets		Solid Walls	
	(1)	(2)	(3)	(4)	(5)	(6)
Treatment	-0.458 (0.390)	-0.489 (0.387)	0.348 (0.304)	0.307 (0.281)	0.652 (0.420)	0.619 (0.408)
Controls	No	Yes	No	Yes	No	Yes
Constant	7.124*** (0.310)	9.191*** (1.038)	6.512*** (0.374)	8.772*** (1.188)	6.251*** (0.348)	8.357*** (0.870)
Observations	104	104	156	156	156	156
N. of groups	52	52	52	52	52	52

Robust standard errors in parentheses

\*\*\* p&lt;0.01, \*\* p&lt;0.05, \* p&lt;0.1