ENVIRONMENTAL RESEARCH LETTERS

LETTER • OPEN ACCESS

People can understand IPCC visuals and are not influenced by colors

To cite this article: Vittoria Battocletti et al 2023 Environ. Res. Lett. 18 114036

View the article online for updates and enhancements.

You may also like

- Marked point process representation of oscillatory dynamics underlying working memory Shailaja Akella, Ali Mohebi, Jose C Principe et al.
- Parallel adversarial feature learning and enhancement of feature discriminability for fault diagnosis of a planetary gearbox under time-varying speed conditions Chuan Zhao and Yinglin Zhang
- <u>Determinism without causality</u> G M DAriano, F Manessi and P Perinotti



ENVIRONMENTAL RESEARCH LETTERS

CrossMark

OPEN ACCESS

RECEIVED 11 May 2023

REVISED 28 July 2023

ACCEPTED FOR PUBLICATION 20 September 2023

PUBLISHED 26 October 2023

Original Content from this work may be used under the terms of the Creative Commons Attribution 4.0 licence.

Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.



People can understand IPCC visuals and are not influenced by colors

Vittoria Battocletti¹, Alessandro Romano¹ and Chiara Sotis^{2,*}

- ¹ Bocconi University, Via Roberto Sarfatti, 25, Milan 20100, Italy
- ² London School of Economics and Political Science, Houghton St, London WC2A 2AE, United Kingdom
- * Author to whom any correspondence should be addressed.

E-mail: c.sotis@lse.ac.uk

Keywords: climate change, IPCC report, climate visuals, colors, framing, visuals, carbon tax

Supplementary material for this article is available online

Abstract

We carry out two online experiments with large representative samples of the US population to study key climate visuals included in the Sixth Report of the Intergovernmental Panel on Climate Change (IPCC). In the first study (N = 977), we test whether people can understand such visuals, and we investigate whether color consistency within and across visuals influences respondents' understanding, their attitudes toward climate change and their policy preferences. Our findings reveal that respondents exhibit a remarkably good understanding of the IPCC visuals. Given that IPCC visuals convey complex multi-layered information, our results suggest that the clarity of the visuals is extremely high. Moreover, we observe that altering color consistency has limited impact on the full sample of respondents, but affects the understanding and the policy preferences of respondents who identify as Republicans. In the second study (n = 1169), we analyze the role played by colors' semantic discriminability, that is the degree to which observers can infer a unique mapping between the color and a concept (for instance red and warmth have high semantic discriminability). We observe that semantic discriminability does not affect attitudes toward climate change or policy preferences and that increasing semantic discriminability does not improve understanding of the climate visual.

1. Introduction

Between 2021 and 2022 the Intergovernmental Panel on Climate Change (IPCC) has released its sixth report (Tollefson et al 2021). In light of the urgency of the threat posed by global warming, it is imperative that the message of the report reaches a wide audience, as without broad support it will be hard to pass comprehensive and effective reforms addressing the climate crisis (Bernauer and McGrath 2016, Ehret 2021). Climate visuals can help ensuring that the IPCC message reaches the general public (Harold et al 2016). First, visuals are an effective and efficient mean to convey scientific information (Okan et al 2012, Fischer et al 2018), as they harness the human visual system's capacity to be a powerful pattern detector (Franconeri et al 2021, Morelli et al 2021). Second, many news media outlets included visuals from the summary for policymakers (SPM) of the IPCC report in their articles (table 1). In fact, 'Visualizations have been the key element in the communication strategy of IPCC' (Xexakis and Trutnevyte 2021).

Nevertheless, finding the right way to leverage the potential of data visualization is complex. A burgeoning literature is attempting to identify effective ways to convey climate-relevant information using visuals (Daron *et al* 2015, 2021, O'Neill 2017, Christel *et al* 2018, Xexakis and Trutnevyte 2021, Calvo *et al* 2022), and some studies have focused specifically on visuals included in the IPCC reports (Taylor *et al* 2015, Harold *et al* 2020). Thus far, empirical evidence suggested that people have a limited understanding of IPCC visuals (McMahon *et al* 2015, Fischer *et al* 2018). However, these studies relied on small samples and focused on older versions of the IPCC report.

Against this background, we carry out two between-subjects experiments with representative **Table 1.** A list of some of the news media that included in their articles the visuals from IPCC report we use in study I (SPM.3 and SPM.5) and study II (SPM.4).

Newspaper	Country	Figure		
Bloomberg	UK	SPM.3 and SPM.4		
CNN	US	SPM.4		
CNN	US	SPM.3		
EOS	US	SPM.4		
Forbes	US	SPM.4		
Financial_Times	UK	SPM.4		
Le_Monde	France	SPM.3		
Straits_Times	Singapore	SPM.4		
Sydney_	Australia	SPM.4		
Morning_Heralds				
The_Economist	UK	SPM.3		
Reuters	UK	SPM.5		
Sky_News	UK	SPM.5		
CBS News	US	SPM.5		

samples of approximately N = 1000 US residents to investigate five research questions.

The first question we investigate is:

RQ1 Do people understand the visuals included in the SPM of the Sixth IPCC Report? (study I)

To address this question, we test respondents' understanding of two key IPCC visuals: SPM.3 and SPM.5(c).

We then turn to study the role of colors because IPCC experts have flagged colors as one of the key factors to guide the user in the experience of processing information (Morelli *et al* 2021). To give an idea of how central the role of color is, the IPCC Visual Style Guide for Authors uses the word color 128 times in 28 pages. With respect to climate visualization, the research on colors has largely focused on how to convey uncertainty (Grigoryan and Rheingans 2004, Viard *et al* 2011, Retchless and Brewer 2016) and how to identify the best color scale in quantitative mapping (Brewer *et al* 1997, Harrower and Brewer 2003, Dasgupta *et al* 2018). We focus on different aspects and investigate the role played by consistency in color coding and semantic discriminability.

The IPCC aims for 'consistent color coding' within and across reports (IPCC WGI Technical Support Unit 2018). Consistency, however, can take many forms. One way to apply consistent color coding is to always use the same color to describe an environmental event. Thus, for instance, one could always associate green to increases in precipitations. Another way is to always use the same color to describe events with a given connotation. Thus, for instance, one could always associate green to negative events. Figure SPM.3 prioritizes the first form of consistency (figure 1, left panel).

SPM.3 is composed of three panels. The top panel describes observed changes in hot extremes, with

increases marked in red and decrements marked in blue. The middle panel describes observed changes in heavy precipitations with increases marked in green and decrements marked in yellow. Last, the bottom panel describes observed changes in agricultural and ecological droughts with increases marked in yellow and decrements marked in green. This use of colors aims also at maximizing consistency across visuals, as other visuals in the report use similar colors in association with these climate events³. However, this use of colors creates an inconsistent association between colors and events' connotation. In the middle panel green denotes negative events, whereas in the bottom panel the same green denotes positive events.

In our treatment, we focus on the association between colors and events' connotation and mark in red all increases in extreme weather events because they all share a negative connotation, whereas we mark in green all decrements because they all share a positive connotation (figure 1, right panel).

As this example shows, it is not always possible to simultaneously ensure consistency in all dimensions. Moreover, there might be trade-offs between preserving consistency within a visual and across visuals. From this perspective, testing understanding for SPM.3 and SPM.5(c) presents an important advantage. Even if our treatment improved withinvisual consistency in terms of events' connotation, it reduced the consistency across visuals of the report. This is because the report has visuals like SPM.5(c) that use a color coding that is more in line with the one adopted in the SPM.3 than the with the one adopted in our treatment.

Therefore, our second question is:

- RQ2a Which definition of 'consistent color coding' leads to a better understanding of climate visuals? (study I)
- RQ2b Does reducing across-visual consistency negatively impact visuals' understanding? (study I)

Moreover, scholars have hypothesized that using colors with low semantic discriminability hinders the understanding of visuals (Terrado *et al* 2022). Semantic discriminability is 'the degree to which observers can infer a unique mapping between visual features and concepts, based on the visual features and concepts, based on the visual features and concepts alone' (Schloss *et al* 2020). To put it differently, some colors might more naturally evoke certain concepts associated with climate change. For instance, people might naturally associate red with high temperatures and extreme risk,

 $^{^{3}}$ Note, however, that the colors used in the figure SPM.3 are slightly different from both the colors used in the Visual Style Guide for Authors and the colors used in other graphs of the IPCC report (e.g. SPM 5(c) and SPM 6 use different colors from SPM.3 to describe increases in precipitations.



whereas blue might be associated with low temperatures (Schneider and Nocke 2018).

In the second experiment, we test whether respondents' understanding of a visual is affected by the semantic discriminability of the colors used. The Financial Times (FT) provided us with an opportunity to study the role of semantic discriminability in a setting with real world implications. The main panel of SPM.4 of the SPM describes five possible scenarios in terms of future CO₂ emissions (figure 2, right panel). In this visual the curve describing the worst case scenario is in dark red, whereas the curve describing the best case scenario is in light blue. In one of its articles, the FT included a figure that is almost identical, but has curves of different colors (figure 2, left panel). For instance, the curve describing the worst case scenario is in light blue, whereas the curve describing the best case scenario is pink. The colors used by the FT have a lower semantic discriminability, thus we investigate the following question:

RQ3 Does using color with high semantic discriminability improve understanding? (study II)

Colors are not only important because they can aid or hinder understanding, but also because they can evoke emotions (Valdez and Mehrabian 1994, Kaya and Epps 2004). For instance, red is often associated with concepts like danger and fear (Pravossoudovitch *et al* 2014, Jonauskaite *et al* 2019), whereas yellow is often connected with joy (Jonauskaite *et al* 2019). As colors affect emotions, they might shape the reaction to climate visuals, and in particular the level of concern for the climate crisis. Thus, the fourth question that we investigate is:

RQ4 Do the colors used in a climate visual have an effect on respondents' level of concern for the climate crisis? (studies I and II)

Last, previous research has shown that some features of visuals can influence policy preferences (Romano *et al* 2020). While colors should not be used to manipulate people's preferences, ensuring that the IPCC conveys information in a 'policy-relevant but not policy-prescriptive' manner (Waisman *et al* 2019) requires understanding the role played by colors. Thus, our fifth question is:

RQ5 Do the colors used in a climate visual affect respondents' policy preferences? (studies I and II)

2. Materials and methods

To answer our research questions, we carried out two large-scale experiments with representative samples of the US population. There are at least two reasons to study whether the general public can understand IPCC visuals. First, key actors related with the IPCC explicitly stated that its reports are also aimed to the general public (Lynn and Peeva 2021). Second, many





news media outlets relied on IPCC visuals (table 1). Thus, visuals play a key role in ensuring that the IPCC messages reaches a wide audience.

Both experiments were pre-registered with AsPredicted (StudyI and StudyII).

Moreover, to obtain a precise measure of semantic discriminability we carried out two pre-surveys, which are described in details in the supplementary materials. The complete protocol of all surveys is available in the supplementary materials.

2.1. Study I

2.1.1. Visual and experimental manipulation

Our experimental manipulation in study I relates to the main panel of the SPM.3 of the first part of the IPCC report. The respondents who were randomly assigned to the control group saw SPM.3 as it appeared on the IPCC report (figure 1, left panel). Respondents who were randomly assigned to the treatment group saw the same visual, but in this case all the increases in extreme events were marked in red and the decreases in green (figure 1, right panel). Figure 3 summarizes the flow of study I.

2.1.2. Sample, survey design and procedure

We sought to recruit a sample of N = 1000 US residents on Prolific. Prolific provides researchers with the option to recruit a sample stratified across three demographics: age, sex and ethnicity. While our sample was representative across these dimensions, we note that Democrats were over-represented. This

is a standard feature of samples recruited online (Arechar and Rand 2021). Respondents were paid \$1.1 (hourly compensation \$6.6).

At the beginning of the experiment participants saw a text containing information about the IPCC and the IPCC report. They were also informed that the visuals they would see during the experiment were based on the IPCC report. After the introduction, participants were randomly assigned to either the control group or the treatment group.

All participants were asked four sets of questions: (*i*) policy preferences (table 2, top two rows); (*ii*) concerns for climate change (table 2, bottom three rows); (*iii*) understanding of SPM.3 (table 3); (*iv*) understanding of SPM.5(c) (figure 4 and table 4). Respondents answered questions *i*, *ii* and *iii* while seeing the version of SPM.3 to which they were assigned. They answered questions *iv* while seeing SPM.5(c). Before the understanding questions participants were asked to complete a simple attention check.

Understanding questions force respondents to think about the visual in a different way from which they would normally do when seeing the visual on a website. Therefore, they were included at the end to avoid anchoring the responses provided to the first two sets of questions.

The literature on graph comprehension identifies three levels of graph understanding (Friel *et al* 2001, Galesic and Garcia-Retamero 2011). The first level relates to the ability to read the data represented in the graph, e.g. by finding specific information. The

 Table 2. Questions used to assess participants' policy preferences and to study concerns for global warming. These questions were used in study I and in study II. The questions used to study concerns for global warming are taken from 'Climate Change in the American Mind: Beliefs & Attitudes'.

Question	Range
Support for US direct subsidies to the fossil fuel industry	0–100
Support for carbon tax	'strongly oppose' to 'strongly support'
How worried are you about global warming?	'not at all worried' to 'very worried'
How much do you think global warming will harm you personally? to	'not at all' to 'a great deal'
'strongly support'	
When do you think global warming will start to harm people in the	'never' to 'They are being harmed right now'
United States?	

Table 3. Questions used to assess participants' understanding of SPM.3. These questions were used only in study I.

Question	Range	Understanding Level
Identifying the statements that correctly describes changes of extreme events in the area Western North America (WNA)? (SPM.3 Q1)	Five possible answers, of which one correct.	Level 1
Identifying if there areas in which agricultural and ecological droughts are decreasing but heavy precipitations are increasing (SPM.3 Q2)	Four answers, of which one correct	Level 1
Hot extremes have INCREASED in the MAJORITY of the areas (SPM.3 Q3)	True/false	Level 2
Heavy precipitations have INCREASED in the MAJORITY of the areas (SPM.3 Q4)	True/false	Level 2
'Agricultural and ecological drought have INCREASED in the MAJORITY of the areas' (SPM.3 Q5)	True/false	Level 1
'There are NO AREAS in which hot extremes have DECREASED' (SPM.3 Q6)	True/false	Level 1
'There are NO AREAS in which precipitations have DECREASED' (SPM.3 Q7)	True/false	Level 2
'There are NO AREAS in which agricultural and ecological drought have DECREASED' (SPM.3 Q8)	True/false	Level 1
'There are more areas with medium confidence in the human contribution to changes in heavy precipitations than areas with medium confidence in the human contribution to changes in agricultural and ecological droughts' (SPM.3 Q9)	True/false	Level 2



second relates to the ability to identify relationship in the data. The third relates to the ability to extrapolate information from the data, e.g. by making predictions. As SPM.3 and SPM.5(c) do not convey information on trends over time, we investigate the first two dimensions of graph literacy: reading the data and identifying relationships in the data. Afterward, respondents answered questions that we use as control. The control questions can be grouped in: (*i*) graph literacy, (*ii*) climate literacy, (*iii*) color-related controls, (*iv*) standard demographic questions. Both the visual used to test graph literacy and the graph literacy questions were taken from Galesic and Garcia-Retamero (2011), whereas climate Table 4. Questions used to assess participants' understanding of SPM.5(c). These questions were used only in study I.

Question	Range	Understanding Level
Please look at the graph above. Are there more areas in which precipitations decrease by 30% or more in the $1.5 \degree C (34.7 \degree F)$ global warming scenario or in the $4 \degree C (39.2 \degree F)$ global warming scenario? (SPM.5(c) Q1)	Four possible answers, of which one correct.	Level 2
Please look at the graph above. Are there more areas in which precipitations increase by 30% or more in the $1.5 \degree C (34.7 \degree F)$ global warming scenario or in the $4 \degree C (39.2 \degree F)$ global warming scenario? (SPM.5(c) Q1)	Four answers, of which one correct	Level 2



Table 5. Questions used to assess participants' understanding of SPM.4. These questions were used only in study II.

Question	Range	Understanding Level
Estimating when in the 'very high' scenario $GtCO_2$ yr ⁻¹ will reach 100? (SPM.4 Q1)	Five possible answers, of which one correct.	Level 1
Estimating distance at various points in time between curves representing various scenarios (SPM.4 Q2)	Respondents must rank the possible alternatives	Level 2
Formulating predictions based on the scenarios (SPM.4 Q3)	Four possible answers, one of which correct.	Level 3

literacy questions have been adapted from Leiserowitz *et al* (2011).

2.2. Study II

2.2.1. Visual and experimental manipulation

Our experimental manipulation in study II relates to the main panel of SPM.4. SPM.4 was included by the FT in one of its articles, but the FT used different colors from those used by the IPCC. The participants who were randomly assigned to the control group saw SPM.4 as it appeared on the FT (figure 2, left panel). Participants who were randomly assigned to the control group saw the same visual, but with the colors used in SPM.4 (figure 2, right panel). Figure 5 summarizes the flow of study II.

2.2.2. Sample, survey design and procedure

We sought to recruit a representative sample of N = 1000 US residents on CloudResearch. Unlike Prolific, CloudResearch does not automatically provide a representative sample. Thus, to ensure that our sample was stratified across the same demographics we launched the experiment several times, creating restrictions by age, gender and race matching

those we obtained in study I on Prolific. As soon as the target quotas were reached, the experiment was closed for that category of respondents. Respondents were paid \$0.9 (hourly compensation \$6.75). At the beginning of the experiment, all respondents saw the same message shown in study one. After the introduction, participants were randomly assigned to either the control group or the treatment group. All participants were then asked three sets of questions: (*i*) policy preferences; (*ii*) concerns for climate change; (*iii*) understanding of SPM.4.

The first two groups of questions were the same as in study I (table 2). The understanding questions are reported in table 5. Respondents answered all these questions while seeing the figure to which they were assigned. After answering the understanding questions, respondents answered the same control questions as in study I. Respondents were also asked to complete the same attention check as in study I.

3. Results

Tables 6 and 7 report respectively the summary statistics for study I and study II.

Table 6. Summary statistics (mean and standard deviation) for study I for the full sample and by treatment group.

	(All)		(Control)		(Treatment)	
	Mean	Sd	Mean	Sd	Mean	Sd
Preferred subsidy (in billions)	18.14	18.54	17.32	17.64	18.90	19.32
Support for a carbon tax	2.15	1.47	2.15	1.48	2.15	1.46
Worry about climate change	2.94	1.25	2.96	1.24	2.92	1.26
Global warming: personal harm	1.76	0.93	1.76	0.92	1.75	0.93
Global warming: when does it hurt the US?	3.89	1.61	3.93	1.57	3.85	1.64
Correct answer SPM.3 Q1 (%)	0.63	0.48	0.64	0.48	0.63	0.48
Correct answer SPM.3 Q2 (%)	0.63	0.48	0.60	0.49	0.66	0.47
Correct answer SPM.3 Q3 (%)	0.94	0.24	0.95	0.23	0.94	0.24
Correct answer SPM.3 Q4 (%)	0.49	0.50	0.49	0.50	0.50	0.50
Correct answer SPM.3 Q5 (%)	0.59	0.49	0.56	0.50	0.61	0.49
Correct answer SPM.3 Q6 (%)	0.84	0.37	0.84	0.37	0.84	0.37
Correct answer SPM.3 Q7 (%)	0.76	0.43	0.73	0.44	0.79	0.41
Correct answer SPM.3 Q8 (%)	0.87	0.34	0.87	0.33	0.86	0.34
Correct answer SPM.3 Q9 (%)	0.53	0.50	0.54	0.50	0.52	0.50
Tot. understanding SPM.3 (score out of 9)	6.29	2.09	6.22	2.02	6.35	2.15
Correct answer SPM.5(c) Q1 (%)	0.68	0.47	0.66	0.48	0.70	0.46
Correct answer SPM.5(c) Q2 (%)	0.71	0.45	0.71	0.46	0.72	0.45
Tot. understanding SPM.5(c) (%)	0.70	0.38	0.68	0.38	0.71	0.38
Observations	977		476		501	

Table 7. Summary statistics (mean and standard deviation) for study II for the full sample and by treatment group.

	(1)		(2)		(3)	
	Mean	Sd	Mean	Sd	Mean	Sd
Preferred subsidy (in billions)	22.25	20.86	21.57	20.50	22.92	21.22
Support for a carbon tax	1.96	1.45	1.95	1.45	1.97	1.45
Worry about climate change	2.79	1.32	2.85	1.30	2.72	1.33
Global warming: personal harm	1.67	0.96	1.70	0.94	1.64	0.97
Global warming: when does it hurt the US?	3.64	1.79	3.72	1.76	3.55	1.82
Correct answer SPM.4 Q1 (%)	0.79	0.40	0.78	0.41	0.80	0.40
Correct answer SPM.4 Q2 (score out of 4)	1.25	1.41	1.23	1.40	1.26	1.42
Correct answer SPM.4 Q3 (%)	0.40	0.49	0.40	0.49	0.41	0.49
Total understanding SPM.4 (score out of 6)	2.44	1.76	2.41	1.75	2.48	1.77
Observations	1169		586		583	

3.1. Understanding of the IPCC visuals (study I)

First, we analyze the level of understanding of the original SPM.3 and SPM.5(c). Figure 6 left panel indicates the percentage of correct answers provided by respondents to the understating questions related to SPM.3 and SPM.5(c) disaggregated by level of understanding. We observe that for the levels of understanding tested the percentage of correct answers is close to 70% for both visuals. The right panel of figure 6 shows that reducing consistency between SPM.3 and SPM.5(c) did not worsen the understanding of SPM.5(c), the second visual seen by respondents.

3.2. Consistency of colors in climate visuals (study I)

We then compare the understanding of the control group, who saw SPM.3 with original colors (figure 1 left panel), and of the treatment group, who saw our version of SPM.3 (figure 1 right panel). We observe no significant differences between the treatment and the control group. The full regression tables are available in the supplementary materials.

3.3. Semantic discriminability (study II)

We now turn to our third research question: whether using colors that have a higher semantic discriminability improves understanding of the climate visual as hypothesized by the literature (Terrado *et al* 2022). We find no evidence that using colors with higher semantic discriminability improves understanding. We observe no significant difference in the understanding of the visual between the control and the treatment group. The full regression tables are available in the supplementary materials.







3.4. Colors, concern for the climate crisis and impact on policy preferences (studies I and II)

We then analyze whether altering colors in climate visuals affects how concerned people are about global warming. In both studies, we observe no effect of colors on concerns for global warming. Similarly, we find no impact of colors on policy preferences. The full regression tables are available in the supplementary materials.

3.5. Heterogeneous treatment effects

Last, we look at heterogeneous treatment effects for age (young-adult-older), gender (femalemale-other) and political affiliation (Democrat-Republican-no strong preference). We observe no results when looking at age and gender. Instead, we observe interesting results when focusing on political affiliation.

First, in study I respondents who identify as Republicans who saw the modified version of SPM.3 (treatment group) display a better overall understanding (p = 0.002 in the model with all controls, see figure 7). These results are robust to different sets of controls (see supplementary materials). We do not find similar results for Democrats or respondents who state that they have no strong preference for either party.

Moreover, we find that both in studies I and II the treatments affect Republicans' stated policy preferences (table 8).

In particular, in study I we observe that respondents who identify as Republicans included in the treatment state that they want higher direct subsidies for fossil fuels (p = 0.02 in the model with all controls), while also indicating a higher support for a carbon tax (p = 0.008 in the model with all controls). Moreover, we observe that also in study II respondents who identify as Republicans included in the treatment support higher subsidies for fossil fuels (p = 0.052 in the model with all controls). We do not find similar results for Democrats or respondents who state that they have no strong preference for either party. **Table 8.** The impact of the treatments on policy preferences. The table reports the results of regressions with a fully interacted model accounting for the different impact of the treatment on respondents with different political affiliations in study I (top two rows) and study II (bottom two rows). The specification includes a dummy equal to one for participants in the treatment, a dummy equal to one for participants in the treatment, a dummy equal to one for participants identifying as democrats or republicans and interactions terms for Republicans in the treatment group and respondents with no strong preference for either party in the treatment. The first three columns report the mean and standard deviation (in parentheses) for the variable considered for Republicans (Rep), Democrats (Dems) and no strong preference. Columns 4 and 5 report the coefficient of the interaction term between the treatment and that political affiliation, along with the *p*-value obtained from a regression controlling for the treatment, the interactions and controls (demographics, the level of worry about global warming, the level of understanding of the freatment on the desired level of subsidies using an OLS regression with robust standard errors. We study the impact of the treatment on the support for a carbon tax through an ordered logit model with robust standard errors. Full regression tables and robustness checks can be found in the supplementary materials.

Policy	Rep	Dems	No strong preference	TE Reps	TE Others
Study I: subsidy	25.1	13.3	22.1	6.83**	1.91
	(18.52)	(15.4)	(21.11)	p = 0.02	p = 0.5
Study I: tax	1.1	2.7	1.8	0.899***	-0.12
	(1.2)	(1.27)	(1.47)	p = 0.008	p = 0.72
Study II: subsidy	27.5	18.6	23.3	5.91*	-5.21
	(20.81)	(19.9)	(21.27)	p = 0.052	p = 0.101
Study II: tax	0.86	2.63	1.88	-0.27	0.5
	(1.21)	(1.2)	(1.39)	p = 0.43	p = 0.12

4. Discussion

4.1. Do people understand the visuals included in the SPM of the IPCC report?

Scholars who carried out studies analyzing people's understanding of visuals included in previous versions of the IPCC report had lamented that the results were disappointing (McMahon *et al* 2015, Fischer *et al* 2020). On the contrary, we report that respondents show a remarkably high level of understanding of the visuals we analyze.

While there are no universally accepted thresholds to determine whether 'enough' people have understood a visual, two comparisons help putting these results in perspective. First, the percentage of correct answers provided to understanding questions of IPCC visuals is close to the percentage of correct answers provided to the questions used to test graph literacy. But the IPCC visuals conveyed complex multi-layered information, whereas the graph literacy visual merely represented a linear trend. Second, the percentage of correct responses provided to our understanding questions is higher than that provided by experts in previous research focusing on older versions of the IPCC report (Fischer et al 2020). Thus, a sample of experts might display an even better understanding of the visuals used in the Sixth IPCC Report. Importantly, we note that respondents had limited incentives to understand the visuals because their payment was not conditional on them providing the right answer.

These considerations suggest that the authors of the visuals of the SPM of the IPCC report did a remarkable job in conveying complex information in a clear and understandable manner.

4.2. Consistent color coding and understanding

Using consistent color coding is among the recommendations given in the IPCC Visual Style

Guide. However, there is no univocal way to define consistency. In study I we compared two ways to interpret the idea of using consistency. In the framing used by the SPM.3, the colors were consistently associated with a given environmental event. Thus, for instance, increases in precipitation were always marked in green. In our treatment, the colors were consistently associated with a given connotation of an event. Consequently, all positive events were marked in green and all negative events were marked in red.

We observe that the visual shown in the treatment was better understood by Republicans than SPM.3. We did not observe the same effect for Democrats, possibly because they displayed a remarkably high level of understanding already in the control group. Therefore, there might have been a ceiling effect. Moreover, we observed that reducing color consistency across visuals did not reduce understanding of the second visual. This suggests that consistent color coding within a given visual is more important than consistent color coding across visuals. This is even truer, because many news media included visuals from the SPM in their articles, and generally they did not include all IPCC visuals in the same article. And since people are likely to learn about the IPCC report from media, there are practical reasons to prioritize color consistency within visuals over consistency across visuals.

One possibility is that the better understanding achieved by the treatment group is driven by the higher semantic discriminability of the colors used in our treatment. In fact, green is often associated with gains, whereas red is associated with losses (Fischer *et al* 2020). Instead, in the original visual of the IPCC the color green was mostly used to indicate negative event. While we cannot rule out this alternative explanation, we note that in study II we find no impact of semantic discriminability. **4.3. Semantic discriminability and understanding** In study II we analyzed the role of semantic discriminability. The control group saw the visual with the low discriminability colors used by the FT, whereas the treatment group saw the visual with the high discriminability colors used by the IPCC. In line with the literature (Terrado *et al* 2022), we were expecting high semantic discriminability to foster understanding. However, we observed no significant differences between the treatment and the control group.

Clearly, our results do not imply that semantic discriminability is never important. However, they show that the relationship between semantic discriminability and understanding is likely to be nuanced and context dependent, instead of monotonic and universal.

4.4. Colors and concern for climate change

Colors are known to have an impact on emotions (Jonauskaite et al 2019). Thus, an important question is whether the colors of a visual might affect the emotional response to the visual. For example, using colors associated with calm and peacefulness might lead people to underestimate the dangers conveyed by a climate visual. Contrarily to our expectations we observe that colors have no impact on how concerned people are about the climate crisis. One possible explanation for this finding is that climate change is a highly polarized and debated topic, and hence people are likely to have been exposed to information and partisan cues (Goldberg et al 2021). To put it differently, they are 'pre-treated' by media (Bernauer and McGrath 2016). Nevertheless, we do not suggest that colors never have an impact on the how concerned people are about the climate crisis.

4.5. Colors and policy preferences

Recent evidence suggests that the features of a visual can affect policy preferences (Romano et al 2020). However, we find that colors affect policy preferences only of respondents who identify as Republicans (table 8). Our results are consistent with recent evidence suggesting that conservatives' preferences with respect to climate policies are affected by framing (Marlow and Makovi 2023). Intriguingly, in study I we observe that Republicans in the treatment group state higher preferred subsidies for fossil fuels but they also indicated a higher support for a carbon tax. These are not the results that we were expecting, therefore we do not advance a *post-hoc* hypothesis. However, we emphasize that our results provide strong preliminary evidence that colors of climate visuals affect policy preferences. Consequently, we believe that more studies are needed to understand through which mechanisms colors influence policy preferences.

5. Conclusions

Empirical evidence suggested that the visuals included in the previous versions of the IPCC report were often misinterpreted. We run two large scale surveys with two representative samples of the US population and find that people show a remarkably good understanding of the visuals used in the most recent version of the IPCC report. Moreover, we investigated the role that colors play in climate visuals and the extent to which they affect understanding of the visuals, policy preferences and concerns for the climate crisis. This study only focused on three visuals from the IPCC report and only included US respondents. Future studies should test whether also other visuals are equally clear, and if also people from different countries display a good level of understanding.

Data availability statement

The data that support the findings of this study are openly available at the following URL/DOI: https:// www.dropbox.com/s/odifcap5h3pmp5w/ipccresults. xlsx?dl=0.

Funding

The authors acknowledge the Bocconi Researchers' Grants funded by Fondazione Romeo ed Enrica Invernizzi for the financial support.

Conflict of interest

The authors declare no competing interests.

Ethical statement

The survey protocol, consent form, and all relevant documents were reviewed by the Bocconi Institutional Review Board (IRB) (eProtocol ##:SA000400) and LSE IRB (eProtocol ##: #51651) prior to the survey deployment. The research was conducted in accordance with the principles embodied in the Declaration of Helsinki and in accordance with local statutory requirements. All survey respondents were above the age of 18 and gave written informed consent to participate in the study. No identifiable information (names, address, contact information etc) was collected from any of the participants.

ORCID iDs

Vittoria Battocletti © https://orcid.org/0000-0003-0726-2487 Chiara Sotis © https://orcid.org/0000-0001-9367-

Chiara Sotis Inters://orcid.org/0000-0001-9367-0932

References

- Arechar A A and Rand D G 2021 Turking in the time of COVID Behav. Res. Methods 53 2591–5
- Bernauer T and McGrath L F 2016 Simple reframing unlikely to boost public support for climate policy *Nat. Clim. Change* <u>6 680–3</u>
- Brewer C A, MacEachren A M, Pickle L W and Herrmann D 1997 Mapping mortality: evaluating color schemes for choropleth maps *Ann. Assoc. Am. Geogr.* **87** 411–38

Calvo L, Christel I, Terrado M, Cucchietti F and Pérez-Montoro M 2022 Users' cognitive load: a key aspect to successfully communicate visual climate information *Bull. Am. Meteorol. Soc.* **103** E1–E16

- Christel I, Hemment D, Bojovic D, Cucchietti F, Calvo L, Stefaner M and Buontempo C 2018 Introducing design in the development of effective climate services *Clim. Serv.* 9 111–21
- Daron J D, Lorenz S, Wolski P, Blamey R C and Jack C 2015 Interpreting climate data visualisations to inform adaptation decisions *Clim. Risk Manage.* **10** 17–26
- Daron J, Lorenz S, Taylor A and Dessai S 2021 Communicating future climate projections of precipitation change *Clim. Change* 166 1–20
- Dasgupta A, Poco J, Rogowitz B, Han K, Bertini E and Silva C T 2018 The effect of color scales on climate scientists' objective and subjective performance in spatial data analysis tasks *IEEE Trans. Vis. Comput. Graphics* **26** 1577–91
- Ehret P 2021 Reaching Republicans on climate change Nat. Clim. Change 11 560–1
- Fischer H, Schütte S, Depoux A, Amelung D and Sauerborn R 2018 How well do COP22 attendees understand graphs on climate change health impacts from the fifth IPCC assessment report? *Int. J. Environ. Res. Public Health* 15 875
- Fischer H, van den Broek K L, Ramisch K and Okan Y 2020 When IPCC graphs can foster or bias understanding: evidence among decision-makers from governmental and non-governmental institutions *Environ. Res. Lett.* 15 114041
- Franconeri S L, Padilla L M, Shah P, Zacks J M and Hullman J 2021 The science of visual data communication: what works *Psychol. Sci. Public Interest* **22** 110–61
- Friel S N, Curcio F R and Bright G W 2001 Making sense of graphs: critical factors influencing comprehension and instructional implications J. Res. Math. Educ. 32 124–58
- Galesic M and Garcia-Retamero R 2011 Graph literacy: a cross-cultural comparison *Med. Decis. Mak.* **31** 444–57
- Goldberg M H, Gustafson A, Rosenthal S A and Leiserowitz A 2021 Shifting Republican views on climate change through targeted advertising *Nat. Clim. Change* **11** 573–7
- Gomis M I and Pidcock R (IPCC WGI Technical Support Unit) 2018 IPCC visual style guide for authors (available at: www. ipcc.ch/site/assets/uploads/2019/04/IPCC-visual-styleguide.pdf)
- Grigoryan G and Rheingans P 2004 Point-based probabilistic surfaces to show surface uncertainty *IEEE Trans. Vis. Comput. Graphics* **10** 564–73
- Harold J, Lorenzoni I, Shipley T F and Coventry K R 2016 Cognitive and psychological science insights to improve climate change data visualization *Nat. Clim. Change* 6 1080–9
- Harold J, Lorenzoni I, Shipley T F and Coventry K R 2020 Communication of IPCC visuals: IPCC authors' views and assessments of visual complexity *Clim. Change* 158 255–70
- Harrower M and Brewer C A 2003 ColorBrewer.org: an online tool for selecting colour schemes for maps *Cartographic J*. 40 27–37

- IPCC 2021 Summary for policymakers Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change ed V Masson-Delmotte et al (Cambridge University Press) pp 3–32
- Jonauskaite D, Althaus B, Dael N, Dan-Glauser E and Mohr C 2019 What color do you feel? Color choices are driven by mood *Color Res. Appl.* **44** 272–84
- Kaya N and Epps H H 2004 Relationship between color and emotion: a study of college students *Coll. Stud. J.* **38** 396–405 Leiserowitz A, Smith N and Marlon J R 2011 American teens'
- knowledge of climate change (Yale University) Lynn J and Peeva N 2021 Communications in the IPCC's sixth
- assessment report cycle *Clim. Change* **169** 18 Marlow T and Makovi K 2023 Non-transformative climate policy options decrease conservative support for renewable energy
- in the US *Environ. Res. Lett.* **18** 024002 McMahon R, Stauffacher M and Knutti R 2015 The unseen uncertainties in climate change: reviewing comprehension of an IPCC scenario graph *Clim. Change* **133** 141–54
- Morelli A, Gabriel Johansen T G, Pidcock R, Harold J, Pirani A, Gomis M, Lorenzoni I, Haughey E and Coventry K 2021 Co-designing engaging and accessible data visualisations: a case study of the IPCC reports *Clim. Change* 168 1–11
- O'Neill S 2017 Engaging with climate change imagery Oxford Research Encyclopedia of Climate Science
- Okan Y, Garcia-Retamero R, Cokely E T and Maldonado A 2012 Individual differences in graph literacy: overcoming denominator neglect in risk comprehension *J. Behav. Decis. Mak.* **25** 390–401
- Pravossoudovitch K, Cury F, Young S G and Elliot A J 2014 Is red the colour of danger? Testing an implicit red–danger association *Ergonomics* **57** 503–10
- Retchless D P and Brewer C A 2016 Guidance for representing uncertainty on global temperature change maps *Int. J. Climatol.* **36** 1143–59
- Romano A, Sotis C, Dominioni G and Guidi S 2020 The scale of COVID-19 graphs affects understanding, attitudes and policy preferences *Health Econ.* **29** 1482–94

Schloss K B, Leggon Z and Lessard L 2020 Semantic discriminability for visual communication IEEE Trans. Vis. Comput. Graphics 27 1022–31

- Schneider B and Nocke T 2018 The feeling of red and blue–a constructive critique of color mapping in visual climate change communication *Handbook of Climate Change Communication* vol 2 (Springer) pp 289–303
- Taylor A L, Dessai S and Bruine De Bruin W B 2015 Communicating uncertainty in seasonal and interannual climate forecasts in Europe *Phil. Trans. R. Soc.* A 373 20140454
- Terrado M, Calvo L and Christel I 2022 Towards more effective visualisations in climate services: good practices and recommendations *Clim. Change* 172 1–26
- Tollefson J *et al* 2021 IPCC climate report: earth is warmer than it's been in 125,000 years *Nature* 596 171–2
- Valdez P and Mehrabian A 1994 Effects of color on emotions J. Exp. Psychol. Gen. 123 394–409
- Viard T, Caumon G and Levy B 2011 Adjacent versus coincident representations of geospatial uncertainty: which promote better decisions? *Comput. Geosci.* **37** 511–20
- Waisman H, De Coninck H and Rogelj J 2019 Key technological enablers for ambitious climate goals: insights from the IPCC special report on global warming of 1.5 °C *Environ. Res. Lett.* **14** 111001
- Xexakis G and Trutnevyte E 2021 Empirical testing of the visualizations of climate change mitigation scenarios with citizens: a comparison among Germany, Poland and France *Glob. Environ. Change* **70** 102324